



# PACIFIC EARTHQUAKE ENGINEERING RESEARCH CENTER

## “R” Package for Computation of Earthquake Ground-Motion Response Spectra

**Pengfei Wang**

**Jonathan P. Stewart**

**Yousef Bozorgnia**

Department of Civil and Environmental Engineering  
University of California, Los Angeles

**David M. Boore**

U.S. Geological Survey (Emeritus)

**Tadahiro Kishida**

Khalifa University of Science and Technology

PEER Report No. 2017/09

Pacific Earthquake Engineering Research Center  
Headquarters at the University of California, Berkeley

#### Disclaimer

The opinions, findings, and conclusions or recommendations expressed in this publication are those of the author(s) and do not necessarily reflect the views of the study sponsor(s) or the Pacific Earthquake Engineering Research Center.

# **“R” Package for Computation of Earthquake Ground-Motion Response Spectra**

**Pengfei Wang**

**Jonathan P. Stewart**

**Yousef Bozorgnia**

Department of Civil and Environmental Engineering  
University of California, Los Angeles

**David M. Boore**

U.S. Geological Survey (Emeritus)

**Tadahiro Kishida**

Khalifa University of Science Technology and Research

PEER Report 2017/09  
Pacific Earthquake Engineering Research Center  
Headquarters at the University of California at Berkeley

December 2017



## ABSTRACT

Earthquake ground motions are typically recorded with one vertical and two horizontal components. It has become standard practice to represent the horizontal component of ground shaking in a manner that recognizes a range of amplitudes with changing azimuths. These variable amplitudes can be generically denoted RotDxx, where xx indicates the percentile of the horizontal amplitude range. RotDxx representations of ground motion are used with amplitude parameters (peak acceleration and velocity) as well as response spectral ordinates for a range of oscillator periods. The use of RotDxx ground motions was introduced in the NGA-West2 project, and analysis procedures for their computation were originally developed in Fortran by the fourth author of this report. Here we describe the implementation of these analysis procedures in R, resulting in an “R” package referred to as *Rotated Combination of Two-Component* ground motions (RCTC). We describe related algorithms for recovering accurate peak quantities from digital data (i.e., Sinc-interpolation and subset selection), which are also implemented in RCTC. We verify the code outputs by comparing them with a prior Fortran code. RCTC takes as input two horizontal components of ground motion, their azimuths, and their time step, and returns various types of variables, including pseudo spectral acceleration for each horizontal component, RotDxx for xx=0, 50, 100% as well as earlier, orientation-independent, geometric mean parameter GMRotI50. Other period-independent variables are also computed and outputted. We document here the code verification and provide instructions for its use.



## **ACKNOWLEDGMENTS**

The original Fortran code, which was used to verify RCTC code, was provided by the fourth author (Dr. David M. Boore). This work also benefited from the opinion and advice of Dr. Dong Youp Kwak. This study was supported by the California Department of Transportation and the Pacific Gas & Electric Company.

Any opinions, findings, and conclusions or recommendations expressed in this material are those of the authors and do not necessarily reflect those of the California Department of Transportation and the Pacific Gas & Electric Company, Pacific Earthquake Engineering Research Center, or the University of California.





# CONTENTS

<b>ABSTRACT</b> .....	<b>iii</b>
<b>ACKNOWLEDGMENTS</b> .....	<b>v</b>
<b>TABLE OF CONTENTS</b> .....	<b>vii</b>
<b>LIST OF TABLES</b> .....	<b>ix</b>
<b>LIST OF FIGURES</b> .....	<b>xi</b>
<b>1 INTRODUCTION</b> .....	<b>1</b>
<b>2 INTENSITY MEASURE COMPUTATION</b> .....	<b>3</b>
<b>2.1 Signal Processing</b> .....	<b>3</b>
<b>2.2 Definitions of GMRot<sub>xx</sub> and RotD<sub>xx</sub></b> .....	<b>7</b>
<b>2.3 Verification</b> .....	<b>10</b>
<b>3 INPUT AND OUTPUT FILES OF RCTC</b> .....	<b>13</b>
<b>3.1 Input Files</b> .....	<b>13</b>
<b>3.2 Output Files</b> .....	<b>15</b>
<b>4 INSTALLING AND USING RCTC</b> .....	<b>17</b>
<b>4.1 Installation</b> .....	<b>17</b>
<b>4.2 Implementation</b> .....	<b>20</b>
<b>5 SUMMARY AND CONCLUSIONS</b> .....	<b>25</b>
<b>REFERENCES</b> .....	<b>27</b>
<b>APPENDIX A SCREENSHOTS OF EACH DATA FORMAT</b> .....	<b>29</b>
<b>APPENDIX B PARAMETERS EXPLANATIONS</b> .....	<b>33</b>



## LIST OF TABLES

Table 2.1	Relative differences between Fortran and R codes for intensity measured computations using 500 randomly selected ground motions.....	11
Table 2.2	Comparison of results in the form of error terms for alternate values of scaling parameter $c = 0, 0.5, \text{ and } 0.7$ .....	11
Table 3.1	The summary information for each of the input data formats. ....	14
Table A.1	Period dependent and period independent variables calculated by RCTC in spreadsheets. ....	33



## LIST OF FIGURES

Figure 1.1	5% damped pseudo spectra accelerations of two horizontal components and their geometric mean. Ground motions from LA–Pico and Sentous station, 1994 Northridge, California, earthquake.....	1
Figure 1.2	Comparison between GMRotlxx spectra and geometric mean spectra. Ground motions from LA-Pico and Sentous, 1994 Northridge, California, earthquake. ....	2
Figure 2.1(a)	Original time series with 100 samples per sec (sps), decimated version of original with 20 sps, and sinc-interpolated time series of 20 sps record using IF = 8. All time series are shown over a narrow time interval encompassing the peak acceleration. Original acceleration time series is the first horizontal component recorded at LA–Pico and Sentous in the 1994 Northridge, California, earthquake (NGA-West2 RSN 1000).....	4
Figure 2.1(b)	Oscillator responses at 0.1 s for 20 sps record sinc-interpolated with IF = 1, 2, 4, 8, and 16. PSA shown for the original 100 sps record. Rd = relative displacement of oscillator. ....	5
Figure 2.2	RotD50 PSA using decimated record in Figure 2.1 at time step 0.05 sec with different interpolation factors. ....	6
Figure 2.3	Magnified plot of Figure 2.2 from 0.01 to 0.2 sec.....	6
Figure 2.4	Ratio of RotD50 PSA referenced to the results with interpolation factor IF = 8. ....	7
Figure 3.1	Screen shot showing <i>Inputdata</i> folder. ....	15
Figure 3.2	Screen shot showing generated <i>Outputdata</i> and <i>Outputplot</i> folders. The spreadsheets in the <i>Outputdata</i> folder and the figures in the <i>Outputplot</i> folder are obtained by running the <i>IMplot</i> function.....	15
Figure 4.1	Screen shot showing installing Rcpp and pracma packages in R console, and navigating directory and installing RCTC in Terminal.....	18
Figure 4.2	Screen shot showing adding path of Rtools into system environment path during installation by selecting checkbox.....	18
Figure 4.3	Screen shot showing Windows CMD and three commands for installing RCTC. ....	20
Figure 4.4	Screen shot showing time series files that will be renamed and moved to the <i>Inputdata</i> folder.....	22
Figure 4.5	Screen shot showing the files that have been renamed and placed into the <i>Inputdata</i> folder by the <i>nametransfer</i> function.....	23
Figure A.1	Screen shot of acceleration time series in PEER format.....	29
Figure A.2	Screen shot of acceleration time series formatted as a vector with time step in first row ('timeseries' option). Units are in g. ....	29


Figure A.3	Screen shot of acceleration time series in COSMOS data format as described here. Data downloaded from Strong-Motion Virtual Data Center is formatted in this manner and contains three components of acceleration. Units are cm/sec <sup>2</sup> . Data in this format should use files renamed manually or with <i>nametransfer</i> function. ....	30
Figure A.4	Screen shot of acceleration time series in SMC data format as described here. Units are cm/sec <sup>2</sup> . Data in this format should use files renamed manually or with <i>nametransfer</i> function.....	31

# 1 Introduction

Earthquake ground motions are typically recorded with triaxial accelerometers or seismometers having one vertical and two horizontal components. Prior to the NGA-West1 project [Power et al. 2008], the geometric mean was typically used to represent horizontal component ground motions. The geometric mean is computed as:

$$IM_{gm} = \sqrt{IM_x IM_y} \tag{1.1}$$

where  $IM_x$  and  $IM_y$  are the as-recorded intensity measures in the horizontal plane. Equation (1.1) can also be viewed as the exponent of the mean of the natural logs of  $IM_x$  and  $IM_y$ . Figure 1.1 shows the 5% damped pseudo-acceleration response spectra based on the two individual horizontal component ground motions and the geometric mean recorded at the LA–Pico and Sentous site (RSN1000) during the 1994 Northridge, California, earthquake.




**Figure 1.1** 5% damped pseudo spectra accelerations of two horizontal components and their geometric mean. Ground motions from LA–Pico and Sentous station, 1994 Northridge, California, earthquake.

During the NGA-West1 project, there was concern that the geometric mean has an arbitrary dependence on the azimuths of the two horizontal components of the recording instrument. As a result of this, an azimuth-independent geometric mean intensity measure was proposed and denoted GMRot150 [Boore et al. 2006]. Alternate definitions for other percentiles (e.g., GMRot100) can also be readily computed, but the median was used in NGA-West1. Figure 1.2

compares the geometric mean spectra with the range of GMRotIxx spectra (0, 50, and 100 percentile). Note that GMRotI100 is not necessarily larger than GMRotI00 and GMRotI50 at all periods, because GMRotI100 is not selected as a maximum value but is an outcome of a particular choice of penalty function, as described in Boore et al. [2006, Section 2.3].

Following NGA-West1, the maximum component replaced the geometric mean as the seismic design requirement in U.S. building codes. Although this is widely recognized as a poorly conceived definition of ground motion that introduces bias to risk analysis of structures [Stewart et al. 2011], the maximum component shifted the representation of horizontal ground motions away from geometric mean to a single-azimuth combination of the two components. Partially in response to that change in the ground-motion definition used in a large fraction of earthquake engineering practice, NGA-West2 [Bozorgnia et al. 2014] adopted the median-component ground motion, denoted RotD50 [Boore 2010]. RotDxx representations of ground motion are used with amplitude parameters (peak acceleration and velocity) as well as response spectral ordinates for a range of oscillator periods. Analysis procedures to compute RotDxx were originally produced in Fortran by the fourth author.

In this report, we describe the *Rotated Combination of Two-Component* (RCTC) code for computing RotDxx in R (statistical computing software). The RCTC code computes RotDxx for xx=0, 50, and 100%, as well as the earlier, orientation-independent, geometric mean parameter GMRotI50. We verify RCTC against the original Fortran code and provide instructions for its installation and usage.



**Figure 1.2** Comparison between GMRotIxx spectra and geometric mean spectra. Ground motions from LA-Pico and Sentous, 1994 Northridge, California, earthquake.



## 2 Intensity Measure Computation

This chapter describes the procedures used to compute GMRotI50 and RotDxx ground-motion intensity measures. The procedures are intended for use with two-component records from the PEER ground-motion database, which has already been instrument-corrected (as needed), and low- and high-pass filtered. Sections in this chapter describe required signal processing, the intensity measure computations, and verification.

### 2.1 SIGNAL PROCESSING

Because acceleration time series in the NGA-West2 database are instrument-corrected and filtered, the only required signal processing pertains to accurate identification of peak oscillator response given the signal time step.


Figure 2.1(a) illustrates the problem with peak identification; the figure shows a short window in time of an acceleration time series at its native resolution with time step  $dt = 0.01$  sec (100 samples per sec, sps) and a decimated version of the record with  $dt = 0.05$  sec (20 sps). There are two notable differences between the 100 and 20 sps records: (1) the peak of the decimated version is lower than that of the native record, which demonstrates that had the resolution of the data acquisition unit been 0.05 sec or higher, the peaks would be mis-identified with simple linear-interpolation between observations; and (2) some high-frequency features of the record, like the undulation in the negative peak near 12.9 sec, are lost in the decimation.

To address the peak identification problem, Sinc interpolation is applied [Shannon 1998; Wikipedia, 2017]. Sinc interpolation is a method of obtaining an acceleration time series at a higher sample rate than the input time series by resampling the input acceleration under the condition that the resampled time series has no energy above the Nyquist frequency ( $f_{Nyq}$ ) of the original record. The interpolation factor (IF) is defined as the factor by which the original time step is divided to provide the desired level of resolution. Sinc interpolation requires that IF is a power of 2. Figure 2.1(a) shows a Sinc-interpolated version of the 20 sps record with IF = 8. It captures the majority of peaks better than the decimated version of record with 20 sps, but it does not capture the high-frequency features of the record seen in the 100 sps signal.


One of the principal benefits of Sinc interpolation is for the computation of oscillator responses. Figure 2.1(b) shows the response for a 0.1-sec oscillator with 5% of critical damping near the time of its peak response. Responses are shown for the 20 sps signal with IF = 1, 2, 4, 8, and 16. Not only do the responses obtained with the sinc-interpolated records with  $IF \geq 4$  capture the peak reasonably consistently, they provide a result nearly matching the PSA that would have been obtained using the 100 sps record. This demonstrates that Sinc-interpolation improves the

resolution of oscillator responses relative to the original 20 sps records, and that there is a saturation effect whereby beyond some limiting value of IF, further interpolation is not helpful.

Because an acceleration time series cannot have energy above  $f_{Nyq}$ , the time series of oscillator responses for oscillators with natural frequencies above  $f_{Nyq}$  should be very similar to one with an oscillator frequency of  $f_{Nyq}$ . (The only reason for differences would be the effect of energy at lower frequencies than oscillator frequency on the responses.) As a result of these considerations, when selecting IF, it is sensible to seek to resolve oscillator responses only up to a maximum frequency of  $f_{Nyq}$ .



**Figure 2.1(a)** Original time series with 100 samples per sec (sps), decimated version of original with 20 sps, and Sinc-interpolated time series of 20 sps record using IF = 8. All time series are shown over a narrow time interval encompassing the peak acceleration. Original acceleration time series is the first horizontal component recorded at LA-Pico and Sentous in the 1994 Northridge, California, earthquake (NGA-West2 RSN 1000).



**Figure 2.1(b) Oscillator responses at 0.1 s for 20 sps record sinc-interpolated with IF = 1, 2, 4, 8, and 16. PSA shown for the original 100 sps record. Rd = relative displacement of oscillator.**

A common rule of thumb is to use 10 sample points for the response of an oscillator of period  $T$  (e.g., Nigam and Jennings [1969]; Alford, et al. [1974]; and Ebeling, et al. [1997]). To resolve oscillator responses to the maximum frequency of  $f_{Nyq}$  would then require a new sample rate  $dt'$  of

$$dt' = \frac{T_{Nyq}}{10} = \frac{1}{10f_{Nyq}} \quad (2.1)$$

Because  $f_{Nyq} = 1/(2dt)$ , the time step becomes


$$dt' = \frac{dt}{5} \quad (2.2)$$

and the interpolation factor is then,


$$IF = \frac{dt}{dt'} = 5 \quad (2.3)$$

However, because IF must be a power of two, the next highest power of two beyond 5 is recommended, which is 8.


The influence of IF on oscillator responses for a wide period range was evaluated using the example time series from Figure 2.1. Figure 2.2 shows the resulting pseudo-spectral accelerations (PSA) obtained using the 20 sps record with IF varied from 1 to 64. The plot shows no clear difference in PSA. Figure 2.3 magnifies the results from Figure 2.2 for a period range of 0.01 sec to 0.2 sec, and shows no clear difference in PSA when IF is greater than 4. Figure 2.4 shows the ratio of PSA for different IF values relative to PSA for IF = 8. Figure 2.4 shows that sensitivity of PSA to IF disappears for  $IF \geq 8$ . This confirms the hypothesis presented earlier: that the maximum frequency that can be reasonably resolved is  $f_{Nyq}$ , which in turn justifies no greater level of interpolation than 8.



**Figure 2.2** RotD50 PSA using decimated record in Figure 2.1 at time step 0.05 sec with different interpolation factors.



**Figure 2.3** Magnified plot of Figure 2.2 from 0.01 to 0.2 sec.



**Figure 2.4 Ratio of RotD50 PSA referenced to the results with interpolation factor IF = 8.**

Returning now to the notation of the RCTC code, following application of the Sinc-interpolation procedures, the modified time series (with time step  $dt'$  are denoted  $a_{1_{in}}$  and  $a_{2_{in}}$ ). The interpolation scheme greatly increases the number of data points in both the ground accelerations used to compute oscillator responses and the oscillator displacement time series (denoted  $Rd_{1_{in}}$  and  $Rd_{2_{in}}$ ). To save memory and speed up calculation, a subset selection function is applied to oscillator displacement time series  $Rd_{1_{in}}$  and  $Rd_{2_{in}}$ , where only data points with amplitudes greater than or equal to a threshold value are retained. The threshold is defined by:

$$\text{level} = c \times \min \left\{ \max \left[ \left| Rd_{1_{in}}(t) \right| \right], \max \left[ \left| Rd_{2_{in}}(t) \right| \right] \right\} \quad (2.4)$$

where  $c$  is a fraction that defaults to 0.7, and  $\max \left[ \left| Rd_{1_{in}}(t) \right| \right]$  and  $\max \left[ \left| Rd_{2_{in}}(t) \right| \right]$  are the peak or trough values for the two components of oscillator response. The portions of the oscillator response time series that are retained for the computations are then identified as:

$$\begin{cases} Rd_{1_{out}}(j) = Rd_{1_{in}}, Rd_{2_{out}}(j) = Rd_{2_{in}} & \text{if } \sqrt{Rd_{1_{in}}^2(i) + Rd_{2_{in}}^2(i)} \geq \text{level}; \\ \text{skip,} & \text{otherwise;} \end{cases} \quad (2.5)$$

where  $Rd_{1_{out}}$  and  $Rd_{2_{out}}$  are the output time series after subset selection.

## 2.2 DEFINITIONS OF GMROT<sub>Ixx</sub> AND ROTD<sub>xx</sub>

GMRotIxx is an orientation-independent geometric mean ground motion intensity measure [Boore, et al, 2006], where xx denotes the percentile within the set of geometric means for a given period. NGA-West1 uses GMRotI50. The procedure to compute GMRotI50 is as follows:

1. Apply Sinc interpolation with IF = 64 to obtain  $a_{1_{in}}(t)$  and  $a_{2_{in}}(t)$ ;

2. Using  $a_{1in}(t)$  and  $a_{2in}(t)$ , compute 5%-damped oscillator displacements within the usable range of oscillator periods  $T_i$ , to obtain  $Rd_{1in}(T_i;t)$  and  $Rd_{2in}(T_i;t)$ ;
3. Utilize the subset selection function to obtain a subset of oscillator response time series for the subsequent calculations,  $Rd_{1out}(T_i;t)$  and  $Rd_{2out}(T_i;t)$ ;
4. For applicable time intervals in which both  $Rd_{1out}(T_i;t)$  and  $Rd_{2out}(T_i;t)$  are defined, multiply the two oscillator time series by the rotation matrix,

$$R_k = \begin{bmatrix} \cos \theta_k & \sin \theta_k \\ -\sin \theta_k & \cos \theta_k \end{bmatrix} \quad (2.6)$$

where  $\theta_k$ , is an angle of rotation relative to the as-recorded accelerometer azimuth of the first horizontal component, taken from  $1^\circ$  to  $90^\circ$  in  $1^\circ$  increments (the  $1^\circ$  increment is fixed in RCTC).

The rotated components can be expressed as:

$$Rd_{ROT1}(\theta_k; T_i; t) = Rd_{1out}(T_i; t) \cos(\theta_k) + Rd_{2out}(T_i; t) \sin(\theta_k) \quad (2.7a)$$

$$Rd_{ROT2}(\theta_k; T_i; t) = -Rd_{1out}(T_i; t) \sin(\theta_k) + Rd_{2out}(T_i; t) \cos(\theta_k) \quad (2.7b)$$

5. Find the maximum amplitude for each rotated oscillator time series for different periods  $T_i$ . The two components corresponding to the response spectral acceleration  $RotPSA1$  and  $RotPSA2$  with rotated angle  $\theta_k$  can be obtained by multiplying the maximum amplitude of displacement by  $\omega_i^2 = 2\pi/T_i$  below:

$$RotPSA1(\theta_k; T_i) = \omega_i^2 \max [Rd_{ROT1}(\theta_k; T_i; t)] \quad (2.8a)$$

$$RotPSA2(\theta_k; T_i) = \omega_i^2 \max [Rd_{ROT2}(\theta_k; T_i; t)] \quad (2.8b)$$

6. Calculate the geometric mean of two components of response spectral acceleration  $RotPSA1$  and  $RotPSA2$  using Equation (1.1) for the different periods  $T_i$  and rotation angles  $\theta_k$  so that the  $GMRotD(\theta_k; T_i)$  matrix is obtained. The  $GMRotD(\theta_k; T_i)$  matrix has a length (number of rows) to accommodate the realizations of  $\theta_k$  and a width (number of columns) to accommodate the number of periods  $T_i$ . In the TCTC code, there are 90 rows and 111 columns;
7. Compute the penalty function for each rotation angle by the equation:

$$\text{penalty}(\theta_k) = \frac{1}{N_{per}} \sum_{i=1}^h \left( \frac{GMRotD(\theta_k; T_i)}{GMRotD50(T_i)} - 1 \right)^2 \quad (2.9)$$

where  $N_{per}$  is the number of usable oscillator periods and  $GMRotD50(T_i)$  is the median value of  $GMRotD(\theta_k; T_i)$  for each specific oscillator period  $T_i$ ; [Note that

the penalty function in Equation (2.9) is set up for median response, but alternative percentiles could in principal be used];

8. Find the rotation angle  $\theta_{\min}$  that minimizes the penalty function; and
9.  $GMRotI50$  is taken as the row of  $GMRotD(\theta_k; T_i)$  for which  $\theta = \theta_{\min}$ .

RotDxx is a period-dependent, component-based (not geometric mean) measure of ground motion [Boore 2010], which was used in the NGA-West2 project. RotDxx uses the two orthogonal-component horizontal time series to compute ground motions for a range of azimuths. Beginning with the Sinc-interpolated ground motions, the component of ground motion rotated by angle  $\theta_k$  from two as-recorded azimuths is calculated as:

$$a_{ROT}(\theta_k; t) = a_{1_{in}}(t) \cos(\theta_k) + a_{2_{in}}(t) \sin(\theta_k) \quad (2.10)$$

We consider  $\theta_k$  from  $1^\circ$  to  $180^\circ$  in  $1^\circ$  increments.

Traditionally, response spectra would be computed from time series  $a_{ROT}(\theta_k; t)$ . Instead, we compute response spectral displacements for the  $a_{1_{in}}$  and  $a_{2_{in}}$  time series, apply subset selection, and then compute oscillator displacements for rotation angle  $\theta_k$  using the following modified form of Equation (2.10):

$$Rd_{ROT}(\theta_k; T_i; t) = Rd_{1_{out}}(T_i; t) \cos(\theta_k) + Rd_{2_{out}}(T_i; t) \sin(\theta_k) \quad (2.11)$$

Pseudo spectral accelerations are then taken as:

$$RotPSA(\theta_k; T_i) = \omega_i^2 \max[Rd_{ROT}(\theta_k; T_i; t)] \quad (2.12)$$

This operation produces the same result as directly computing spectral displacements from  $a_{ROT}(\theta_k; t)$  because the oscillator response operation is linear<sup>1</sup>.

The steps in the computations, as implemented in RCTC are as follow:

1. Apply the same procedure as in steps 1 to 3 of the  $GMRotI50$  calculation to obtain  $Rd_{1_{out}}(T_i; t)$  and  $Rd_{2_{out}}(T_i; t)$ ;
2. Apply Equation (2.11) to obtain oscillator displacements  $Rd_{ROT}(\theta_k; T_i; t)$  for  $\theta_k = 1^\circ$  to  $180^\circ$  in  $1^\circ$  increments., as well as pseudo-spectral accelerations  $RotPSA(\theta_k; T_i)$ ;
3. Form a  $RotPSA$  matrix with a length (number of rows) to accommodate the realizations of  $\theta_k$  and a width (number of columns) to accommodate the number of periods  $T_i$ . The RCTC code uses 180 rows and 111 columns;
4. Take RotD00, RotD50, and RotD100 as the minimum, median, and maximum values in the  $RotPSA$  matrix for each oscillator period  $T_i$ .

---

<sup>1</sup> [http://www.daveboore.com/daves\\_notes/notes\\_on\\_revisions\\_to\\_smc2psa\\_rot\\_gmrot\\_v1.0.pdf](http://www.daveboore.com/daves_notes/notes_on_revisions_to_smc2psa_rot_gmrot_v1.0.pdf).

Note the Step 2 in this procedure is similar to Step 4 in the GMRotI50 calculation. In particular, the first 90 rows of *RotPSA* are the same as *RotPSA1*, and rows 91–180 in *RotPSA* are the same as *RotPSA2*. This occurs because for  $90^\circ < \theta_k < 180^\circ$ ,  $Rd_{1_{out}}(T_i; t)\cos(\theta_k) + Rd_{2_{out}}(T_i; t)\sin(\theta_k) = -Rd_{1_{out}}(T_i; t)\sin(\theta_k - \pi/2) + Rd_{2_{out}}(T_i; t)\cos(\theta_k - \pi/2)$ , where the left side is from Equation (2.11), and the right side is what would be provided by Equation (2.7b) for  $90^\circ < \theta_k < 180^\circ$ . In RCTC, we take advantage of this result and use the intermediate values from the calculation of GMRotI50 to compute RotDxx.

## 2.3 VERIFICATION

We verified the RCTC code against a Fortran code prepared by the fourth author using 500 pairs of horizontal ground motions for 111 different oscillator periods from 0.01–20 sec. We used  $c = 0.7$  for these computations; see Equation (2.4). The ground motions were randomly selected from the NGA-West2 database. The misfit between the two codes was quantified by the relative difference, which is calculated as:

$$\varepsilon = \left| \frac{V_{\text{ref}} - V_{\text{trial}}}{V_{\text{ref}}} \right| \times 100\% \quad (2.13)$$

where  $V_{\text{ref}}$  is the reference value (for the present calculation, this is the result returned by the Fortran code), and  $V_{\text{trial}}$  is the trial value from RCTC being assessed in the verification exercise. The median and maximum relative differences for both GMRotI50 and RotDxx are shown in Table 2.1. The differences are small, and we consider the RCTC implementation to be verified.

Next, we investigate the sensitivity of results to scalar  $c$ , which is used in Equation (2.4) to set subset size. If  $c$  were set to zero, the entire time series will be used in the component combination calculations. This is computationally intensive due to the large number of time steps introduced by Sinc interpolation but provides the most rigorous point of comparison. We consider scalars  $c = 0, 0.5, \text{ and } 0.7$ . Table 2.2 shows error terms computed taking the reference as 0.5 and the trial as 0.7, and the reference as 0 and trial as 0.5. We use 496 pairs of randomly selected time series for the 0.5 to 0.7 comparison and 190 pairs of time series for the 0 to 0.5 comparison.

The use of  $c = 0.5$  produces error only for RotD00 and exact results otherwise. Use of  $c = 0.7$  gives very small errors for RotD50 and RotD100 but larger errors otherwise. Fraction  $c = 0.7$  (default value in RCTC) is recommended if the user is mainly interested in RotD50 and RotD100, while fraction  $c = 0.5$  is recommended if GMRotI50 is also of interest. Calculation of RotD00 requires setting fraction  $c = 0$ .



**Table 2.1** Relative differences between Fortran and R codes for intensity measured computations using 500 randomly selected ground motions.

	<b>GMRotI50</b>	<b>RotD00</b>	<b>RotD50</b>	<b>RotD100</b>
Maximum $\varepsilon$ (500 motions, 111 periods)	$2.2 \times 10^{-3}\%$	$4.1 \times 10^{-3}\%$	$1.8 \times 10^{-3}\%$	$2.0 \times 10^{-5}\%$
Median $\varepsilon$ (500 motions, 111 periods)	$8.2 \times 10^{-6}\%$	$1.0 \times 10^{-5}\%$	$9.0 \times 10^{-6}\%$	$9.3 \times 10^{-8}\%$
Maximum $\varepsilon$ (500 motions, usable periods)	$7.2 \times 10^{-5}\%$	$1.1 \times 10^{-4}\%$	$8.5 \times 10^{-5}\%$	$7.9 \times 10^{-7}\%$
Median $\varepsilon$ (500 motions, usable periods)	0%	0%	0%	0%

**Table 2.2** Comparison of results in the form of error terms for alternate values of scaling parameter  $c = 0, 0.5, \text{ and } 0.7$

	<b>GMRotI50</b>	<b>RotD00</b>	<b>RotD50</b>	<b>RotD100</b>
Maximum $\varepsilon$ (0.5 vs 0.7; 496 motions, 111 periods)	47.2%	69.6%	$1.65 \times 10^{-11}\%$	$1.66 \times 10^{-13}\%$
Median $\varepsilon$ (0.5 vs 0.7; 496 motions, 111 periods)	0%	0%	0%	0%
Maximum $\varepsilon$ (0 vs 0.5; 190 motions, 111 periods)	0%	51%	0%	0%
Median $\varepsilon$ (0 vs 0.5; 190 motions, 111 periods)	0%	0%	0%	0%



## 3 Input and Output files of RCTC

### 3.1 INPUT FILES

RCTC can accept input time series formatted in different ways. The default is the PEER-formatted paired horizontal-component acceleration time series data downloaded from the NGA-West2 database, each component of which has an “.AT2” extension. As shown in Table 3.1, other available input data formats include COSMOS, SMC, and a simple single column of data with a time step provided in the first row of the file (the examples of each format are showed by screenshots in Appendix A). PEER-formatted data matches that of NGA-West2 data, but is given its own column in Table 3.1 due to the present lack of a flatfile implemented into RCTC for non-NGA-West2 PEER data.

To use RCTC, a folder named *Inputdata* needs to be created. All data should be placed into this folder. Any number of time series pairs can be used. An example is showed by screen shot in Figure 3.1. In the case of PEER-formatted data for the NGA-West2 project (for which a flatfile is currently available), the file naming protocol is RSNxxx\_textstring1\_textstring2.AT2 (or RSNxxx\_textstring1.AT2), with two files per recording (one for each horizontal component). RSN indicates record sequence number, where xxx is the number. RCTC reads the RSN, which allows the record to be located in a flatfile (e.g., from NGA-West2) and to obtain usable frequencies. RCTC then cross-checks the subsequent text strings (separated by underscores `_`) against azimuths in the flatfile, allowing the azimuth associated with the file to be identified.

Ground-motion data generated as part of the NGA-Sub and NGA-East projects also follows the PEER format. Accordingly, the RSN in the file names are used to pair two horizontal-component ground motions. However, because flatfiles for these data are not implemented in RCTC, azimuths and usable frequencies cannot be recognized automatically. We expect to add these flatfiles to RCTC in the future when they become public; in the meantime, ground motions from these projects can be analyzed with some additional data entry in the same manner as non-PEER data, which is described below.

**Table 3.1 The summary information for each of the input data formats.**

	NGA-West2	PEER formatted	COSMOS	SMC	Single column data
Resource	NGA-West2 database	NGA-Sub, NGA-East	Strong-Motion Virtual Data Center	USGS	Users collected
Need to change filenames?	No, two separate files, one for each horizontal component	No, two separate files, one for each horizontal component	Yes, one file contains all components	Yes, two separate files, one for each horizontal component	Yes, two separate files, one for each horizontal component
Time step	Read from headers	Read from headers	Read from headers	Read from headers	Read from data
Azimuth angle	Read from flatfile	Users defined, Otherwise zero	User defined, Otherwise zero	User defined, Otherwise zero	User defined, Otherwise zero
Usable periods	Read from flatfile	Users defined, otherwise 0(min) and 10s(max) are used	Users defined, otherwise 0(min) and 10s(max) are used	Users defined, otherwise 0(min) and 10s(max) are used	Users defined, otherwise 0(min) and 10s(max) are used
Unit of input acceleration	$g$	$g$	$\text{cm}/\text{sec}^2$	$\text{cm}/\text{sec}^2$	$g$

For non-PEER data, the file names uploaded to the *Inputdata* folder should contain station identifiers so that the code can identify paired components from the filenames. This will generally require the re-naming of files. These station identifiers can be text or numerical strings. This file re-naming enables RCTC to identify paired horizontal component files (two per recording, except for COSMOS format). This can be undertaken for individual files by renaming filenames as  $xx\_xx\_xx$ , where  $xx$  represents station name, sensor number, and component index, respectively, with text strings separated by underscores. For instance, LA-BH\_1\_H1 and LA-BH\_2\_H1 are two recordings by the first horizontal component from station LA-BH. The former was recorded by sensor 1 and the later by sensor 2. This occurs when two sensors are installed at the same station in a vertical array. For the more typical case of a single sensor at a given station, no sensor number need be specified. For COSMOS format in which all components of ground motions are included in one file, then RCTC will only read one file for all calculations instead of two paired files. In this situation, the filenames can be LA-BH\_1\_H12 and LA-BH\_1\_H12 for two recordings from station LA-BH. Component index “H12” indicates that both horizontal components are contained in the file.

For non-NGA-West2 data, including NGA-East and NGA-Sub data, azimuths and usable periods are specified as arguments in the *IMplot* function in RCTC. This function is described further in Section 4.2. Time steps of all these data can be read from headers or data of the data file; see Table 3.1. Except for COSMOS (since it contains everything in one file), vertical motion data files should not be loaded into the *Inputdata* folder.

For relatively automated processing of large amounts of files, native file names can be converted to standardized file names using the *nametransfer* function in the RCTC package, as described further in Section 4.2.

Figure 3.1 shows an example of *Inputdata* folder, which is created and placed in the folder of *test* on the desktop. There are three pairs of horizontal component ground motions downloaded from NGA-West2 database are saved in *Inputdata* folder.




Figure 3.1 Screen shot showing *Inputdata* folder.

### 3.2 OUTPUT FILES

RCTC has two folders containing output files: *Outputdata* and *Outputplot*. These two folders will be generated in the same directory as the *Inputdata* folder when running the function *IMplot* in the RCTC package. The *Outputdata* folder contains two csv files for each horizontal ground motion pair and a summary file. One csv file is named as “xx\_dep.csv”, and another is named as “xx\_indep.csv” (xx stands for RSN for NGA-West2 data or station name and sensor number for others). The parameters in these two files are explained in Table A.1 of the Appendix B. Figure 3.2 shows the resultant files after running the function of *IMplot*.




Figure 3.2 Screen shot showing generated *Outputdata* and *Outputplot* folders. The spreadsheets in the *Outputdata* folder and the figures in the *Outputplot* folder are obtained by running the *IMplot* function.

The summary file includes RSN, EQID, maximum and minimum usable frequencies, and RotD50 values for PGA, PGV, PGD, and pseudo spectral ordinates. These median outputs can be changed to other percentiles (00 or 100) by changing the input argument *combine\_index* in the function *IMplot*. This function is also illustrated in Section 4.2.

*Outputplot* also contains pseudo-spectral acceleration versus periods plots using GMRotI50, PSA for two as-recorded horizontal components, and RotDxx for xx = 00, 50, and 100.

## 4 Installing and Using RCTC

### 4.1 INSTALLATION

The required steps to install RCTC are presented below and are accompanied by screen shots.

Mac users:

1. Make sure the required packages, *Rcpp* and *pracma*, are installed. They can be installed by executing the following command in R:


```
install.packages(c('Rcpp', 'pracma'))
```

2. Download and install *Xcode* in App Store.
3. Change directory in Terminal to the folder where the main RCTC file was saved following download (RCTC\_0.1.0.tar.gz file). Execute the following command:


```
R CMD INSTALL RCTC_0.1.0.tar.gz
```

This will install the RCTC package. Then users can type and run the following command to load and use RCTC library:

```
library(RCTC)
```



**Figure 4.1** Screen shot showing installing Rcpp and pracma packages in R console, and navigating directory and installing RCTC in Terminal.



**Figure 4.2** Screen shot showing adding path of Rtools into system environment path during installation by selecting checkbox.



In Figure 4.1, the left side of the screen shows the R console, and the right side shows the Terminal. In the Terminal, the first command navigates to the directory containing the RCTC file (the desktop in this case). Subsequent lines in the Terminal execute the command to install RCTC.

Windows users:

1. Make sure the required packages, *Rcpp* and *pracma*, are installed. The procedure to install these packages is the same as that in Mac.
2. Download and install *Rtools*. The link to download *Rtools* is here: <https://cran.r-project.org/bin/windows/Rtools/>. Select the version compatible with the local version of R. For example, download *Rtools34.exe* if you are using R 3.4.x. Select the checkbox for adding the path into the system; see Figure 4.2.
3. Add the file path for R into the system environment path, which can be done using Windows CMD. An example for adding the R path is shown in Figure 4.3. Note the actual path of R will vary and is user-specified. For instance, the path of R in Figure 4.3 is C:\Program Files\R\R-3.4.3\bin.


If the path for *Rtools* was not established during step 2 showing in Figure 4.2, this path can be added using the same procedure shown in Figure 4.3. The applicable paths from the root directory are: C:\Rtools\bin; C:\Rtools\perl\bin; C:\Rtools\MinGW\bin. Actual paths should be modified to reflect the location of *Rtools*.

4. Go to Windows CMD, and navigate to the folder where the main RCTC file was saved following download (*RCTC\_0.1.0.tar.gz*). Execute the following command:

**R CMD INSTALL RCTC\_0.1.0.tar.gz**

This will install the RCTC package so that it can be used by issuing the following command:

**library(RCTC)**



```
管理员: C:\Windows\system32\cmd.exe
Microsoft Windows [版本 6.1.7601]
版权所有 (c) 2009 Microsoft Corporation。保留所有权利。

C:\Users\Administrator>set PATH=%PATH%;C:\Program Files\R-3.4.3\bin

C:\Users\Administrator>cd C:\Users\Administrator\Desktop

C:\Users\Administrator\Desktop>R CMD INSTALL RCTC_0.1.0.tar.gz_
```

**Figure 4.3** Screen shot showing Windows CMD and three commands for installing RCTC.

Figure 4.3 shows three commands. The first command adds R into the system environment. The second command navigates to the directory where the RCTC downloaded file is saved. The last command installs the RCTC package.

## 4.2 IMPLEMENTATION

There are seven functions in the RCTC package. If data are PEER formatted, only the *IMplot* function is needed. For other formats, if only response spectra are needed, the required functions are *IMplot* and, if files re-naming is to be automated, *nametransfer*. An additional two functions are provided for users interested in outputting Sinc-interpolated acceleration time series and/or spectral displacements. Details of the four functions are given below.

*IMplot*: This is the main function to compute response spectra and generate spreadsheets and plots. There are nine input arguments, as follows:

1. inputpath specifies the location of the *Inputdata* folder where all data are saved;
2. datatype is a string, containing options “ngaw2”, “nga”, “cosmos”, “smc”, or “timeseries”. “ngaw2” represents the downloaded data from NGA-West2 database, while “nga” stands for the PEER formatted NGA-Sub and NGA-East data. The reason we distinguish them is that flatfiles for NGA-Sub and NGA-East data are not presently included in the RCTC package, and their azimuths and usable frequencies cannot be recognized by RCTC automatically. “cosmos” and “smc” are data formats from Strong-Motion Virtual Data Center and USGS, respectively. “timeseries” consists of a one column array. The array has the time step in the first row of the column and acceleration values below. The units of each data format are

summarized in Table 3.1. Data not in the right units should be converted before using RCTC. Data that are not downloaded from PEER should have files names adjusted as described in Section 3.1, which can be automated by using the *nametransfer* function. The operation of this function is described further below. If an error occurs that is related to data format, the easiest remedy is to format the data as a column vector (“timeseries” option);

3. tmax4penalty\_in and tmin4penalty\_in are the maximum and minimum periods used for calculation of the penalty function [Equation (2.9)] (default values are 10 and 0, respectively). The specification of these variables is only needed if the maximum and minimum usable frequencies for the ground motion are not available from NGA-West2 flatfile. Their values will be obtained from NGA-West2 flatfile automatically if the input data are from NGA-West2 database;
4. combine\_index is used to specify the value of xx for RotDxx. 00 is used for RotD00, 50 is for RotD50, and 100 is for RotD100. The default is 50;
5. ang1 is the as-recorded azimuth angle of the first horizontal component. It can be obtained automatically from NGA-West2 flatfile if the input data are downloaded from NGA-West2 database. Otherwise, users need to provide this angle. The second component is assumed to be 90° clockwise from ang1. If ang1 is not specified, a default value of zero is used;
6. damping is the fraction of critical damping for which the oscillator response is computed (expressed as decimal). The default is 0.05;
7. fraction is the scalar *c* (Section 2.1) used to select the subset size. The default is 0.7 and guidance on selection is provided in Section 2.3; and
8. Interpolation\_factor specifies the degree of interpolation, as described in Section 2.1. The default is “auto”, meaning the desired value of interpolation factor will be computed automatically. Users can also specify a value, which should be a power of 2.

An example script could be:

```
IMplot(inputpath = "/Users/PFW/Desktop/test/Inputdata", datatype = "ngaw2",
tmax4penalty_in = 10, tmin4penalty_in = 0, combine_index = 50, ang1 = 0, damping =
0.05, fraction = 0.7, Interpolation_factor = "auto")
```

*nametransfer*: This function changes filenames into standard forms that can be read by RCTC. This operation is not required for the “ngaw2” and “nga” data type (data downloaded from PEER) or if users manually rename data files as instructed in Section 3.1. There are five input arguments:

1. filedir1 and filedir2 are file paths (directory + filenames) of the first and the second horizontal component of ground motions;
2. stationname is the station name;
3. sn is the sensor number. If there is more than one sensor at the station, users should enter separate sns for each;


4. `outputdir` is the directory where renamed files are saved. It can be the *Inputdata* folder.

An example application of the *nametransfer* function is illustrated in Figure 4.4. In this example, there two sets of three-component time series, from one event and two different sensors at the same station. There are two horizontal components and one vertical component for each sensor. They are placed in `'/Users/PFW/Desktop/RCTC'` directory. The file `20160101231556A1` and `20160101231556A2` are paired horizontal ground motions for the first sensor, `20160101231556A4` and `20160101231556A5` are paired horizontal ground motions for the second sensor. File `20160101231556A3` and `20160101231556A6` are their corresponding vertical ground motions. *Inputdata* folder is the destination directory for renamed files. The scripts in R for using *nametransfer* to change filenames and place the renamed files into *Inputdata* are as follows:


```
nametransfer(filedir1 = '/Users/PFW/Desktop/RCTC/20160101231556A1', filedir2 =  
'/Users/PFW/Desktop/RCTC/20160101231556A2', stationname = 'LA-BH', sn = 1,  
outputdir = '/Users/PFW/Desktop/RCTC/Inputdata')
```

```
nametransfer(filedir1 = '/Users/PFW/Desktop/RCTC/20160101231556A4', filedir2 =  
'/Users/PFW/Desktop/RCTC/20160101231556A5', stationname = 'LA-BH', sn = 2,  
outputdir = '/Users/PFW/Desktop/RCTC/Inputdata')
```

Figure 4.5 shows the files in the *Inputdata* folder after execution of the above commands.



**Figure 4.4** Screen shot showing time series files that will be renamed and moved to the *Inputdata* folder.



**Figure 4.5** Screen shot showing the files that have been renamed and placed into the *Inputdata* folder by the *nametransfer* function

Note that if the file names of COSMOS format data need to be renamed (one file contains all ground-motion components), just set *filedir1* and *filedir2* the same file path, then RCTC will standardize their file names.

The following functions are subroutines called by the main function *IMplot*. Users do not need to use these directly unless spectral displacements or Sinc-interpolation acceleration time series are desired as outputs.

*PS\_cal\_cpp*: This function computes pseudo-spectral accelerations and spectral displacements. There are five input arguments:

1. data is an acceleration time series array;
2. period\_t is an array of oscillator periods;
3. damping is damping ratio, expressed as a decimal (default value is 0.05);
4. time\_dt is the time step in seconds; and
5. type\_return is a dummy variable controlling output type, set to either 1 or 2. If 1 is selected, it returns a two-row matrix with actual spectral acceleration in the first row and PSA in the second row. If 2 is selected, it returns a row vector of spectral displacements.

*Interpft*: This function applies Sinc interpolation to reduce the time step and returns a time series with more data points than in data. This function has two inputs:

1. data is as defined above; and
2. interpolation\_factor specifies the degree of interpolation and should be a power of two.

Please contact github (<https://github.com/wlrcwfp/RCTC/issues>) with any issues or suggestions.



## 5 Summary and Conclusions

The standard of practice for representing the horizontal amplitude of ground motions recognizes the range that occurs with changing azimuths. These variable amplitudes can be generically denoted as RotDxx, where xx represents a percentile ranging from null to 100%. This definition was introduced by Boore [2010] and adopted by the NGA-West2 project [Bozorgnia et al. 2014]. Software for computing RotDxx was originally developed by the fourth author as a Fortran code. The purpose of the work described in this report was to summarize in one document the complete analysis procedure, including the computation of response spectral ordinates using Sinc-interpolation and the RotDxx ordinates, and to introduce an open-source package presented in R and referred to as *Rotated Combination of Two-Component* ground motions (RCTC).

RCTC computes pseudo-spectral acceleration for each horizontal component, RotDxx for  $xx = 0, 50, 100\%$ , GMRotI50, and other period-independent variables by inputting two horizontal components of ground motion, their azimuths, and their time step. It implements the Sinc-interpolation and subset selection algorithms to recover accurate peak quantities from digital data. The code was verified with the original Fortran code for RotDxx calculation developed by the fourth author. The instructions for installation and usage of RCTC are given in Chapter 4 of this report.

The package and report can be downloaded from PEER website. Updates of RCTC in the future are planned when flatfiles for the NGA-East and NGA-Sub projects are publically released.





## REFERENCES

- Alford R.M., Kelly K.R., Boore D.M. (1974). Accuracy of finite-difference modeling of the acoustic wave equation, *Geophys.*, 12, 39(6): 834–842.
- Boore D.M. (2010). Orientation-independent, nongeometric-mean measures of seismic intensity from two horizontal components of motion, *Bull. Seismol. Soc. Am.*, 100: 1830–1835.
- Boore D.M., Goulet, C.A. (2014). The effect of sampling rate and anti-aliasing filters on high-frequency response spectra. *Bull. Earthq. Eng.*, 12(1): 203–216.
- Boore D.M., Watson-Lamprey J., Abrahamson N.A. (2006). Orientation-independent measures of ground motion, *Bull. Seismol. Soc. Am.*, 96(4): 1502–1511.
- Bozorgnia Y., Abrahamson N.A., Al Atik L., Ancheta T.D., Atkinson G.M., Baker J.W., Boore D.M., Campbell K.W., Chiou B.-S.-J., Darragh R., Day S., Donahue J., Graves R.W., Gregor N., Hanks T., Idriss I.M., Kamai R., Kishida T., Kottke A., Mahin S.A., Ranaieian S., Seyhan E., Shahi S., Shantz T., Silva W., Spudich P., Stewart J.P., Watson-Lamprey, Wooddell K., Youngs R. (2014). NGA-West2 research project, *Earthq. Spectra*, 30(3): 973–987.
- Ebeling R.M., Green R.A., French S.E. (1997). Accuracy of response of single-degree-of-freedom systems to ground motion, *Technical Report ITL-97-7*, U.S. Army Corp of Engineers, Waterways Experiment Station, Vicksburg, MS.
- Nigam N.C., Jennings P.C. (1969). Calculation of response spectra from strong-motion earthquake records, *Bulletin of the Seismological Society of America*, 59(2): 909–922.
- Power M., Chiou B., Abrahamson N.A., Bozognia Y., Shantz T., Roblee C. (2008). An overview of the NGA project, *Earthq. Spectra*, 24: 3–21.
- Shannon C.E. (1998). Communication in the presence of noise (a reprint of the classic 1949 paper), *Proceedings, IEEE*, 86(2): 447–457.
- Stewart J.P., Abrahamson N.A., Atkinson G.M., Baker J.W., Boore D.M., Bozognia Y., Campbell K.W., Comartin C., Idriss I.M., Lew N., Mehrain M., Moehle J., Naeim F., Sabol T.A. (2011). Representation of bidirectional ground motions for design spectra in building codes, *Earthq. Spectra*, 27(3): 927–937.
- Wikipedia, 2017. *Lanczos resampling*. [Online]  
Available at: [https://en.wikipedia.org/wiki/Lanczos\\_resampling](https://en.wikipedia.org/wiki/Lanczos_resampling)



## Appendix A Screenshots of each Data Format

```

PEER NGA STRONG MOTION DATABASE RECORD
Hollister-03, 11/28/1974, San Juan Bautista 24 Polk St, 33
ACCELERATION TIME SERIES IN UNITS OF G
NPTS= 4151, DT= .0050 SEC,
-.1309151E-03 -.1313470E-03 -.1309291E-03 -.1280221E-03 -.1218626E-03
-.1112233E-03 -.9688324E-04 -.8040297E-04 -.6584598E-04 -.5769174E-04
-.6125633E-04 -.7773564E-04 -.1058095E-03 -.1411642E-03 -.1795012E-03
-.2131026E-03 -.2334854E-03 -.2318410E-03 -.2051317E-03 -.1532015E-03
-.8439767E-04 -.1332989E-04 .4384745E-04 .7082000E-04 .5116798E-04
-.2087277E-04 -.1305838E-03 -.2578329E-03 -.3914530E-03 -.5187097E-03
-.6301037E-03 -.7180235E-03 -.7763969E-03 -.7955394E-03 -.7701292E-03
-.6967446E-03 -.5735030E-03 -.4077535E-03 -.2020855E-03 .3899609E-04
.3051981E-03 .6026969E-03 .9448701E-03 .1327290E-02 .1713638E-02
.2032483E-02 .2178580E-02 .2064897E-02 .1704283E-02 .1208138E-02
.6541764E-03 .1045330E-03 -.4061120E-03 -.8334591E-03 -.1106582E-02
-.1162690E-02 -.1013148E-02 -.7448757E-03 -.4238086E-03 -.9708800E-04
.1881556E-03 .3973265E-03 .5123768E-03 .5183891E-03 .4001477E-03
.1549795E-03 -.1984953E-03 -.6477999E-03 -.1159147E-02 -.1673189E-02
-.2113738E-02 -.2387298E-02 -.2439285E-02 -.2232108E-02 -.1721121E-02
-.9204231E-03 .1094053E-03 .1211748E-02 .2254512E-02 .3107221E-02
    
```

Figure A.1 Screen shot of acceleration time series in PEER format.

```

0.005
-0.0001309151
-0.000131347
-0.0001309291
-0.0001280221
-0.0001218626
-0.0001112233
-9.688324e-05
-8.040297e-05
-6.584598e-05
-5.769174e-05
-6.125633e-05
-7.773564e-05
-0.0001058095
-0.0001411642
-0.0001795012
-0.0002131026
    
```

Figure A.2 Screen shot of acceleration time series formatted as a vector with time step in first row ('timeseries' option). Units are in g.

```

CORRECTED ACCELEROGRAM 24207-S2485-94021.02      CHAN 1: 194 DEG FROM
UNCORRECTED ACCELEROGRAM DATA                PROCESSED: 02/04/94, CDMG QN94A207 TT
NORTHRIDGE EARTHQUAKE
JANUARY 17, 1994 04:31 PST                      (ORIGIN(CIT): 01/17/94, 12:30:55.4 GMT)
24207-S2485-94021.02                          TRIGGER TIME: 01/17/94, 12:31:00.5 UTC
STATION NO. 24207 34.334N, 118.396W          SMA-1 S/N 2485
PACOIMA DAM - UPPER LEFT ABUTMENT
CHAN 1: 194 DEG
NORTHRIDGE EARTHQUAKE  JANUARY 17, 1994 04:31 PST
HYPOCENTER(CIT): 34.215N, 118.538W, H=18KM. ML=6.6, MW=6.7(CIT); MS=6.7(NEIC)
INSTR PERIOD = .0380 SEC, DAMPING = .593, SENSITIVITY = 1.69 CM/G.
RECORD LENGTH = 59.980 SEC.
UNCOR MAX = -1.492 G, AT 4.558 SEC.
RMS ACCEL OF (UNCOR) RECORD = .098 G.
ACCELEROGRAM BANDPASS FILTERED WITH RAMPS AT .080- .160 AND 23.00-25.00 CYC/SEC
3000 POINTS OF INSTRUMENT- AND BASELINE-CORRECTED ACCEL, VELOC AND DISPL DATA
AT EQUALLY-SPACED INTERVALS OF .020 SEC.
PEAK ACCELERATION = -1259.910 CM/SEC/SEC AT 4.540 SEC.
PEAK VELOCITY = 104.536 CM/SEC AT 3.820 SEC.
PEAK DISPLACEMENT = 21.755 CM AT 3.980 SEC.
INITIAL VELOCITY = -1.905 CM/SEC; INITIAL DISPLACEMENT = -.242 CM
NORTHRIDGE EARTHQUAKE  JANUARY 17, 1994 04:31 PST

24207-S2485-94021.02      PACOIMA DAM - UPPER LEFT ABUTMENT      CHAN 1: 194 DEG

1 1 1 3 3 0 1 1 1 2048 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 19412175 21 33 52 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 01217512175 3000 4 10 10 0 0 52 78 10 10 0 3000
0 3000 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0

.038 .593 59.996 .098 1.000 1.690 -1.469 4.558
26.300 50.000 2.959 50.000 4.928 .092 3.255 9.758
.000 .000 .000 .000 .000 .000 .000 .000
.000 .000 .000 .000 .000 .000 .000 .000
.000 .000 .000 .000 .000 .000 .000 .000
.000 .000 .000 .000 .000 .000 .000 .000
.000 .000 .000 98.066 .005 59.996 165.248 .000
.000 25.000 2.000 59.980 .020 .160 .080 .000
4.540 -1259.910 3.820 104.536 3.980 21.755 -1.905 .160
23.000 .020 .020 -.242 .000 .000 .000 .000
.000 .000 .000 .000 .000 .000 .000 .000
.000 .000 .000 .000 .000 .000 .000 .000
.000 .000 .000 .000

3000 POINTS OF ACCEL DATA EQUALLY SPACED AT .020 SEC. (UNITS: CM/SEC/SEC)
-6.071 -4.268 -.187 2.191 4.308 6.868 4.266 -7.805
-17.485 -15.148 .235 32.561 53.324 43.635 -1.233 -43.778
-49.196 -22.468 10.966 36.680 64.949 60.652 12.391 -48.926
-67.410 -88.817 -93.000 -59.277 37.242 99.735 159.947 207.809
146.766 25.491 -247.404 -282.731 -169.126 -80.394 62.706 104.051
125.016 124.566 62.208 -32.097 -63.025 -26.507 -21.342 59.655

```

**Figure A.3** Screen shot of acceleration time series in COSMOS data format as described here<sup>2</sup>. Data downloaded from Strong-Motion Virtual Data Center is formatted in this manner and contains three components of acceleration. Units are cm/sec<sup>2</sup>. Data in this format should use files renamed manually or with *nametransfer* function.

<sup>2</sup> [https://www.strongmotioncenter.org/vdc/cosmos\\_format\\_1\\_20.pdf](https://www.strongmotioncenter.org/vdc/cosmos_format_1_20.pdf).

```

2 CORRECTED ACCELEROGRAM
*
2001
    2016 12 28    0913 SW OF HAWTHORNE, NV
Moment Mag=      Ms=      Ml= 5.50
station = NV:Hawthorne;Ammunition Depot component= 90
epicentral dist =    28.1    pk acc = 1.02E+2
inst type=ETNA    data source = USGS
*
*
*
-32768    2016    363    9    13    31    940    1992
    1    -32768    -32768    1108    90    90    -32768    10
23317    -32768    -32768    -32768    -32768    -32768    -32768    -32768
-32768    -32768    -32768    -32768    -32768    2001    1    23317
-32768    -32768    -32768    -32768    -32768    -32768    -32768    -32768
-32768    -32768    -32768    -32768    -32768    -32768    -32768    -32768
1.7000000E+38  2.0000000E+02  3.8376999E+01 -1.1889600E+02  8.6000004E+00
1.7000000E+38  1.7000000E+38  5.5000000E+00  1.7000000E+38  2.6299999E+24
3.8545250E+01 -1.1865483E+02  1.2700000E+03  1.7000000E+38  1.7000000E+38
1.7000000E+38  2.8140429E+01  2.2849278E+02  3.3554430E+06  1.7000000E+38
1.7000000E+38  2.0000000E+02  6.9999999E-01  1.2766847E-03  1.7000000E+38
1.7000000E+38  1.7000000E+38  1.7000000E+38  2.7225000E+01  1.0247371E+02
2.7295000E+01 -9.8267296E+01  7.9999998E-02 -2.0000000E+00  4.0000000E+01
5.0000000E+01  1.7000000E+38  1.7000000E+38  1.7000000E+38  1.7000000E+38
1.7000000E+38  1.7000000E+38  1.7000000E+38  1.7000000E+38  1.7000000E+38
1.7000000E+38  1.7000000E+38  1.7000000E+38  1.7000000E+38  1.7000000E+38
| Converted to SMC format using program sac2smc on 2016/12/28 18:04
| Input file: 2001.HNE.NP.0B
| <SCNL>2001.HNE.NP.0B
|
| <loclbl=>Basement<end>
| EventID: nn00570744
| Source Magnitude: NN
| Source Location: NN
| Source Seismic Moment: NN
| Digital counts re-scaled using the factor 2.3343527E-04 cm/s/s/count
-1.1162E-2-2.0166E-2-1.7681E-2-6.5300E-3 3.1689E-3 4.0421E-3-3.4761E-3-1.3227E-2
-1.8402E-2-1.6471E-2-1.1241E-2-8.9272E-3-1.0695E-2-1.0693E-2-3.3832E-3 8.8757E-3
1.8492E-2 2.2018E-2 2.3482E-2 2.7809E-2 3.3807E-2 3.5312E-2 2.7868E-2 1.3209E-2
-1.7753E-3-9.9731E-3-9.5758E-3-5.8283E-3-6.1064E-3-1.2262E-2-1.8976E-2-2.0423E-2
-1.6609E-2-1.1344E-2-5.8661E-3 2.0356E-3 1.2539E-2 2.0888E-2 2.2107E-2 1.7084E-2
1.1607E-2 9.3833E-3 7.9933E-3 3.0544E-3-4.6268E-3-8.6209E-3-4.8807E-3 1.9155E-3
3.4432E-3-1.1318E-3-3.7309E-3 5.3945E-4 4.5076E-3-2.0590E-3-1.6688E-2-2.5152E-2
-1.9944E-2-1.0713E-2-1.1306E-2-2.1461E-2-2.8440E-2-2.4663E-2-1.5770E-2-9.8138E-3
-5.5516E-3 3.6368E-3 1.7613E-2 2.6740E-2 2.2073E-2 6.1617E-3-7.4713E-3-6.4523E-3
7.6675E-3 1.9708E-2 1.6724E-2 3.0338E-3-5.2071E-3-1.2845E-3 2.9292E-3-5.8821E-3
-2.1971E-2-2.6552E-2-1.3223E-2 3.0130E-3 6.0540E-3-5.2334E-4-8.9840E-4 9.4736E-3

```

**Figure A.4** Screen shot of acceleration time series in SMC data format as described here<sup>3</sup>. Units are cm/sec<sup>2</sup>. Data in this format should use files renamed manually or with *nametransfer* function.

<sup>3</sup> <https://escweb.wr.usgs.gov/nsmp-data/smcfmt.html>.



## Appendix B Parameters Explanations

**Table A.1** Period dependent and period independent variables calculated by RCTC in spreadsheets.

Notations in spreadsheet	File name (xx stands for recording's name)	Descriptions
PSA_1, PSA_2	xx_dep.csv	Pseudo spectral acceleration of two ground motions; unit is in g.
Absoulte_acc_1, Absolute_acc_2	xx_dep.csv	Spectral acceleration of two ground motions; unit is in g.
PSA_gm_ar, PSA_larger_ar	xx_dep.csv	Geometric mean and the larger of two PSAs; unit is in g.
GMRotI50, RotD00, RotD50, RotD100	xx_dep.csv	The orientation-independent geometric mean, and the minimum, median, and maximum of orientation-dependent parameters; unit is in g.
RotD00_ang, RotD100_ang	xx_dep.csv	The azimuth angles of minimum and maximum orientation-dependent combinations of two ground motions; unit is in g.
Num_points	xx_dep.csv	The number of subset selected points in the response displacement time series
npts1, npts2	xx_indep.csv	The number of points in Sinc-interpolated acceleration time series
tmax4penalty, tmin4penalty	xx_indep.csv	The maximum and minimum periods used to calculation penalty function. They are from NGA-West2 Flatfile if available, otherwise, they are user defined; unit is in sec.
Damping, Lowest usable freq, Highest usable freq	xx_indep.csv	The damping ratio (in decimal), and the minimum and maximum usable frequencies (in Hz).
GMRotI50angle	xx_indep.csv	The azimuth angle which minimizes the penalty function (in degrees).
PGA_GMRotI50, PGV_GMRotI50, PGD_GMRotI50,	xx_indep.csv	The orientation-independent geometric mean of two ground motions for peak ground acceleration (g), peak ground velocity (cm/sec), and peak ground displacement (cm)

Notations in spreadsheet	File name (xx stands for recording's name)	Descriptions
PGA_GMRot50, PGV_GMRot50, PGA_GMRot100, PGV_GMRot100	xx_indep.csv	The median and maximum of orientation-dependent geometric mean of two ground motions for peak ground acceleration (g) and peak ground velocity (cm/sec).
PGA_GMRot100angle, PGV_GMRot100angle	xx_indep.csv	The azimuth angles for the maximum of orientation-dependent geometric mean of two ground motions of peak ground acceleration and velocity; unit are in degrees.
PGA_1, PGA_2, PGV_1, PGV_2, PGD_1, PGD_2	xx_indep.csv	The peak ground accelerations (g), peak ground velocities (cm/sec), and peak ground displacements (cm) of two ground motions.
n_a_subset, n_v_subset, n_d_subset	xx_indep.csv	The number of subset selected points in acceleration, velocity, and displacement time series.
PGA_Rot00, PGA_Rot50, PGA_Rot100, PGV_Rot00, PGV_Rot50, PGV_Rot100, PGD_Rot00, PGD_Rot50, PGD_Rot100	xx_indep.csv	The minimum, median, and maximum orientation-dependent parameters of two ground motions for peak ground accelerations (g), peak ground velocities (cm/sec), and peak ground displacements (cm)
PGA_Rot00angle, PGA_Rot100angle, PGV_Rot00angle, PGV_Rot100angle, PGD_Rot00angle, PGD_Rot100angle	xx_indep.csv	The azimuth angles of minimum and maximum of orientation-dependent parameters of two ground motions for peak ground accelerations, peak ground velocities, and peak ground displacements; units are in degrees.



## PEER REPORTS

PEER reports are available as a free PDF download from [http://peer.berkeley.edu/publications/peer\\_reports\\_complete.html](http://peer.berkeley.edu/publications/peer_reports_complete.html). Printed hard copies of PEER reports can be ordered directly from our printer by following the instructions at [http://peer.berkeley.edu/publications/peer\\_reports.html](http://peer.berkeley.edu/publications/peer_reports.html). For other related questions about the PEER Report Series, contact the Pacific Earthquake Engineering Research Center, 325 Davis Hall, Mail Code 1792, Berkeley, CA 94720. Tel.: (510) 642-3437; Fax: (510) 642-1655; Email: [peer\\_center@berkeley.edu](mailto:peer_center@berkeley.edu).

- PEER 2017/08** *Influence of Kinematic SSI on Foundation Input Motions for Bridges on Deep Foundations*. Benjamin J. Turner, Scott J. Brandenburg, and Jonathan P. Stewart. November 2017.
- PEER 2017/07** *A Nonlinear Kinetic Model for Multi-Stage Friction Pendulum Systems*. Paul L. Drazin and Sanjay Govindjee. October 2017.
- PEER 2017/06** *Guidelines for Performance-Based Seismic Design of Tall Buildings, Version 2.03*. TBI Working Group led by co-chairs Ron Hamburger and Jack Moehle: Jack Baker, Jonathan Bray, C.B. Crouse, Greg Deierlein, John Hooper, Marshall Lew, Joe Maffei, Stephen Mahin, James Malley, Farzad Naeim, Jonathan Stewart, and John Wallace. May 2017.
- PEER 2017/05** *Recommendations for Ergodic Nonlinear Site Amplification in Central and Eastern North America*. Youssef M.A. Hashash, Joseph A. Harmon, Okan Ilhan, Grace A. Parker, and Jonathan P. Stewart. March 2017.
- PEER 2017/04** *Expert Panel Recommendations for Ergodic Site Amplification in Central and Eastern North America*. Jonathan P. Stewart, Grace A. Parker, Joseph P. Harmon, Gail M. Atkinson, David M. Boore, Robert B. Darragh, Walter J. Silva, and Youssef M.A. Hashash. March 2017.
- PEER 2017/03** *NGA-East Ground-Motion Models for the U.S. Geological Survey National Seismic Hazard Maps*. Christine A. Goulet, Yousef Bozorgnia, Nicolas Kuehn, Linda Al Atik, Robert R. Youngs, Robert W. Graves, and Gail M. Atkinson. March 2017.
- PEER 2017/02** *U.S.–New Zealand–Japan Workshop: Liquefaction-Induced Ground Movements Effects, University of California, Berkeley, California, 2–4 November 2016*. Jonathan D. Bray, Ross W. Boulanger, Misko Cubrinovski, Kohji Tokimatsu, Steven L. Kramer, Thomas O'Rourke, Ellen Rathje, Russell A. Green, Peter K. Robinson, and Christine Z. Beyzaei. March 2017.
- PEER 2017/01** *2016 PEER Annual Report*. Khalid Mosalam, Amarnath Kasalanati, and Grace Kang. March 2017.
- PEER 2016/11** *Seismic Design Guidelines for Tall Buildings*. Members of the Committee for the Tall Buildings Initiative. December 2016.
- PEER 2016/10** *Performance-Based Robust Nonlinear Seismic Analysis with Application to Reinforced Concrete Bridge Systems*. Xiao Ling and Khalid M. Mosalam. December 2016.
- PEER 2016/09** *Resilience of Critical Structures, Infrastructure, and Communities*. Gian Paolo Cimellaro, Ali Zamani-Noori, Omar Kamouh, Vesna Terzic, and Stephen A. Mahin. December 2016.
- PEER 2016/08** *Processing and Development of Iran Earthquake Ground-Motion Database*. Tadahiro Kishida, Sahar Derakhshan, Sifat Muin, Yousef Bozorgnia, Sean K. Ahdi, Jonathan P. Stewart, Robert B. Darragh, Walter J. Silva, and Esmael Farzanegan. December 2016.
- PEER 2016/07** *Hybrid Simulation Theory for a Classical Nonlinear Dynamical System*. Paul L. Drazin and Sanjay Govindjee. September 2016.
- PEER 2016/06** *California Earthquake Early Warning System Benefit Study*. Laurie A. Johnson, Sharyl Rabinovici, Grace S. Kang, and Stephen A. Mahin. July 2006.
- PEER 2016/05** *Ground-Motion Prediction Equations for Arias Intensity Consistent with the NGA-West2 Ground-Motion Models*. Charlotte Abrahamson, Hao-Jun Michael Shi, and Brian Yang. July 2016.
- PEER 2016/04** *The Mw 6.0 South Napa Earthquake of August 24, 2014: A Wake-Up Call for Renewed Investment in Seismic Resilience Across California*. Prepared for the California Seismic Safety Commission, Laurie A. Johnson and Stephen A. Mahin. May 2016.
- PEER 2016/03** *Simulation Confidence in Tsunami-Driven Overland Flow*. Patrick Lynett. May 2016.
- PEER 2016/02** *Semi-Automated Procedure for Windowing time Series and Computing Fourier Amplitude Spectra for the NGA-West2 Database*. Tadahiro Kishida, Olga-Joan Ktenidou, Robert B. Darragh, and Walter J. Silva. May 2016.

- PEER 2016/01** *A Methodology for the Estimation of Kappa ( $\kappa$ ) from Large Datasets: Example Application to Rock Sites in the NGA-East Database and Implications on Design Motions.* Olga-Joan Ktenidou, Norman A. Abrahamson, Robert B. Darragh, and Walter J. Silva. April 2016.
- PEER 2015/13** *Self-Centering Precast Concrete Dual-Steel-Shell Columns for Accelerated Bridge Construction: Seismic Performance, Analysis, and Design.* Gabriele Guerrini, José I. Restrepo, Athanassios Vervelidis, and Milena Massari. December 2015.
- PEER 2015/12** *Shear-Flexure Interaction Modeling for Reinforced Concrete Structural Walls and Columns under Reversed Cyclic Loading.* Kristijan Kolozvari, Kutay Orakcal, and John Wallace. December 2015.
- PEER 2015/11** *Selection and Scaling of Ground Motions for Nonlinear Response History Analysis of Buildings in Performance-Based Earthquake Engineering.* N. Simon Kwong and Anil K. Chopra. December 2015.
- PEER 2015/10** *Structural Behavior of Column-Bent Cap Beam-Box Girder Systems in Reinforced Concrete Bridges Subjected to Gravity and Seismic Loads. Part II: Hybrid Simulation and Post-Test Analysis.* Mohamed A. Moustafa and Khalid M. Mosalam. November 2015.
- PEER 2015/09** *Structural Behavior of Column-Bent Cap Beam-Box Girder Systems in Reinforced Concrete Bridges Subjected to Gravity and Seismic Loads. Part I: Pre-Test Analysis and Quasi-Static Experiments.* Mohamed A. Moustafa and Khalid M. Mosalam. September 2015.
- PEER 2015/08** *NGA-East: Adjustments to Median Ground-Motion Models for Center and Eastern North America.* August 2015.
- PEER 2015/07** *NGA-East: Ground-Motion Standard-Deviation Models for Central and Eastern North America.* Linda Al Atik. June 2015.
- PEER 2015/06** *Adjusting Ground-Motion Intensity Measures to a Reference Site for which  $V_{S30} = 3000$  m/sec.* David M. Boore. May 2015.
- PEER 2015/05** *Hybrid Simulation of Seismic Isolation Systems Applied to an APR-1400 Nuclear Power Plant.* Andreas H. Schellenberg, Alireza Sarebanha, Matthew J. Schoettler, Gilberto Mosqueda, Gianmario Benzoni, and Stephen A. Mahin. April 2015.
- PEER 2015/04** *NGA-East: Median Ground-Motion Models for the Central and Eastern North America Region.* April 2015.
- PEER 2015/03** *Single Series Solution for the Rectangular Fiber-Reinforced Elastomeric Isolator Compression Modulus.* James M. Kelly and Niel C. Van Engelen. March 2015.
- PEER 2015/02** *A Full-Scale, Single-Column Bridge Bent Tested by Shake-Table Excitation.* Matthew J. Schoettler, José I. Restrepo, Gabriele Guerrini, David E. Duck, and Francesco Carrea. March 2015.
- PEER 2015/01** *Concrete Column Blind Prediction Contest 2010: Outcomes and Observations.* Vesna Terzic, Matthew J. Schoettler, José I. Restrepo, and Stephen A. Mahin. March 2015.
- PEER 2014/20** *Stochastic Modeling and Simulation of Near-Fault Ground Motions for Performance-Based Earthquake Engineering.* Mayssa Dabaghi and Armen Der Kiureghian. December 2014.
- PEER 2014/19** *Seismic Response of a Hybrid Fiber-Reinforced Concrete Bridge Column Detailed for Accelerated Bridge Construction.* Wilson Nguyen, William Trono, Marios Panagiotou, and Claudia P. Ostertag. December 2014.
- PEER 2014/18** *Three-Dimensional Beam-Truss Model for Reinforced Concrete Walls and Slabs Subjected to Cyclic Static or Dynamic Loading.* Yuan Lu, Marios Panagiotou, and Ioannis Koutromanos. December 2014.
- PEER 2014/17** *PEER NGA-East Database.* Christine A. Goulet, Tadahiro Kishida, Timothy D. Ancheta, Chris H. Cramer, Robert B. Darragh, Walter J. Silva, Youssef M.A. Hashash, Joseph Harmon, Jonathan P. Stewart, Katie E. Wooddell, and Robert R. Youngs. October 2014.
- PEER 2014/16** *Guidelines for Performing Hazard-Consistent One-Dimensional Ground Response Analysis for Ground Motion Prediction.* Jonathan P. Stewart, Kioumars Afshari, and Youssef M.A. Hashash. October 2014.
- PEER 2014/15** *NGA-East Regionalization Report: Comparison of Four Crustal Regions within Central and Eastern North America using Waveform Modeling and 5%-Damped Pseudo-Spectral Acceleration Response.* Jennifer Dreiling, Marius P. Isken, Walter D. Mooney, Martin C. Chapman, and Richard W. Godbee. October 2014.
- PEER 2014/14** *Scaling Relations between Seismic Moment and Rupture Area of Earthquakes in Stable Continental Regions.* Paul Somerville. August 2014.
- PEER 2014/13** *PEER Preliminary Notes and Observations on the August 24, 2014, South Napa Earthquake.* Grace S. Kang and Stephen A. Mahin, Editors. September 2014.
- PEER 2014/12** *Reference-Rock Site Conditions for Central and Eastern North America: Part II – Attenuation (Kappa) Definition.* Kenneth W. Campbell, Youssef M.A. Hashash, Byungmin Kim, Albert R. Kottke, Ellen M. Rathje, Walter J. Silva, and Jonathan P. Stewart. August 2014.

- PEER 2014/11** *Reference-Rock Site Conditions for Central and Eastern North America: Part I - Velocity Definition.* Youssef M.A. Hashash, Albert R. Kottke, Jonathan P. Stewart, Kenneth W. Campbell, Byungmin Kim, Ellen M. Rathje, Walter J. Silva, Sissy Nikolaou, and Cheryl Moss. August 2014.
- PEER 2014/10** *Evaluation of Collapse and Non-Collapse of Parallel Bridges Affected by Liquefaction and Lateral Spreading.* Benjamin Turner, Scott J. Brandenburg, and Jonathan P. Stewart. August 2014.
- PEER 2014/09** *PEER Arizona Strong-Motion Database and GMPEs Evaluation.* Tadahiro Kishida, Robert E. Kayen, Olga-Joan Ktenidou, Walter J. Silva, Robert B. Darragh, and Jennie Watson-Lamprey. June 2014.
- PEER 2014/08** *Unbonded Pretensioned Bridge Columns with Rocking Detail.* Jeffrey A. Schaefer, Bryan Kennedy, Marc O. Eberhard, and John F. Stanton. June 2014.
- PEER 2014/07** *Northridge 20 Symposium Summary Report: Impacts, Outcomes, and Next Steps.* May 2014.
- PEER 2014/06** *Report of the Tenth Planning Meeting of NEES/E-Defense Collaborative Research on Earthquake Engineering.* December 2013.
- PEER 2014/05** *Seismic Velocity Site Characterization of Thirty-One Chilean Seismometer Stations by Spectral Analysis of Surface Wave Dispersion.* Robert Kayen, Brad D. Carkin, Skye Corbet, Camilo Pinilla, Allan Ng, Edward Gorbis, and Christine Truong. April 2014.
- PEER 2014/04** *Effect of Vertical Acceleration on Shear Strength of Reinforced Concrete Columns.* Hyerin Lee and Khalid M. Mosalam. April 2014.
- PEER 2014/03** *Retest of Thirty-Year-Old Neoprene Isolation Bearings.* James M. Kelly and Niel C. Van Engelen. March 2014.
- PEER 2014/02** *Theoretical Development of Hybrid Simulation Applied to Plate Structures.* Ahmed A. Bakhaty, Khalid M. Mosalam, and Sanjay Govindjee. January 2014.
- PEER 2014/01** *Performance-Based Seismic Assessment of Skewed Bridges.* Peyman Kaviani, Farzin Zareian, and Ertugrul Taciroglu. January 2014.
- PEER 2013/26** *Urban Earthquake Engineering.* Proceedings of the U.S.-Iran Seismic Workshop. December 2013.
- PEER 2013/25** *Earthquake Engineering for Resilient Communities: 2013 PEER Internship Program Research Report Collection.* Heidi Tremayne (Editor), Stephen A. Mahin (Editor), Jorge Archbold Monterossa, Matt Brosman, Shelly Dean, Katherine deLaveaga, Curtis Fong, Donovan Holder, Rakeeb Khan, Elizabeth Jachens, David Lam, Daniela Martinez Lopez, Mara Minner, Geffen Oren, Julia Pavicic, Melissa Quinonez, Lorena Rodriguez, Sean Salazar, Kelli Slaven, Vivian Steyert, Jenny Taing, and Salvador Tena. December 2013.
- PEER 2013/24** *NGA-West2 Ground Motion Prediction Equations for Vertical Ground Motions.* September 2013.
- PEER 2013/23** *Coordinated Planning and Preparedness for Fire Following Major Earthquakes.* Charles Scawthorn. November 2013.
- PEER 2013/22** *GEM-PEER Task 3 Project: Selection of a Global Set of Ground Motion Prediction Equations.* Jonathan P. Stewart, John Douglas, Mohammad B. Javanbarg, Carola Di Alessandro, Yousef Bozorgnia, Norman A. Abrahamson, David M. Boore, Kenneth W. Campbell, Elise Delavaud, Mustafa Erdik, and Peter J. Stafford. December 2013.
- PEER 2013/21** *Seismic Design and Performance of Bridges with Columns on Rocking Foundations.* Grigorios Antonellis and Marios Panagiotou. September 2013.
- PEER 2013/20** *Experimental and Analytical Studies on the Seismic Behavior of Conventional and Hybrid Braced Frames.* Jiun-Wei Lai and Stephen A. Mahin. September 2013.
- PEER 2013/19** *Toward Resilient Communities: A Performance-Based Engineering Framework for Design and Evaluation of the Built Environment.* Michael William Mieler, Bozidar Stojadinovic, Robert J. Budnitz, Stephen A. Mahin, and Mary C. Comerio. September 2013.
- PEER 2013/18** *Identification of Site Parameters that Improve Predictions of Site Amplification.* Ellen M. Rathje and Sara Navidi. July 2013.
- PEER 2013/17** *Response Spectrum Analysis of Concrete Gravity Dams Including Dam-Water-Foundation Interaction.* Arnkjell Løkke and Anil K. Chopra. July 2013.
- PEER 2013/16** *Effect of Hoop Reinforcement Spacing on the Cyclic Response of Large Reinforced Concrete Special Moment Frame Beams.* Marios Panagiotou, Tea Visnjic, Grigorios Antonellis, Panagiotis Galanis, and Jack P. Moehle. June 2013.
- PEER 2013/15** *A Probabilistic Framework to Include the Effects of Near-Fault Directivity in Seismic Hazard Assessment.* Shrey Kumar Shahi, Jack W. Baker. October 2013.

- PEER 2013/14** *Hanging-Wall Scaling using Finite-Fault Simulations*. Jennifer L. Donahue and Norman A. Abrahamson. September 2013.
- PEER 2013/13** *Semi-Empirical Nonlinear Site Amplification and its Application in NEHRP Site Factors*. Jonathan P. Stewart and Emel Seyhan. November 2013.
- PEER 2013/12** *Nonlinear Horizontal Site Response for the NGA-West2 Project*. Ronnie Kamai, Norman A. Abramson, Walter J. Silva. May 2013.
- PEER 2013/11** *Epistemic Uncertainty for NGA-West2 Models*. Linda Al Atik and Robert R. Youngs. May 2013.
- PEER 2013/10** *NGA-West 2 Models for Ground-Motion Directionality*. Shrey K. Shahi and Jack W. Baker. May 2013.
- PEER 2013/09** *Final Report of the NGA-West2 Directivity Working Group*. Paul Spudich, Jeffrey R. Bayless, Jack W. Baker, Brian S.J. Chiou, Badie Rowshandel, Shrey Shahi, and Paul Somerville. May 2013.
- PEER 2013/08** *NGA-West2 Model for Estimating Average Horizontal Values of Pseudo-Absolute Spectral Accelerations Generated by Crustal Earthquakes*. I. M. Idriss. May 2013.
- PEER 2013/07** *Update of the Chiou and Youngs NGA Ground Motion Model for Average Horizontal Component of Peak Ground Motion and Response Spectra*. Brian Chiou and Robert Youngs. May 2013.
- PEER 2013/06** *NGA-West2 Campbell-Bozorgnia Ground Motion Model for the Horizontal Components of PGA, PGV, and 5%-Damped Elastic Pseudo-Acceleration Response Spectra for Periods Ranging from 0.01 to 10 sec*. Kenneth W. Campbell and Yousef Bozorgnia. May 2013.
- PEER 2013/05** *NGA-West 2 Equations for Predicting Response Spectral Accelerations for Shallow Crustal Earthquakes*. David M. Boore, Jonathan P. Stewart, Emel Seyhan, and Gail M. Atkinson. May 2013.
- PEER 2013/04** *Update of the AS08 Ground-Motion Prediction Equations Based on the NGA-West2 Data Set*. Norman Abrahamson, Walter Silva, and Ronnie Kamai. May 2013.
- PEER 2013/03** *PEER NGA-West2 Database*. Timothy D. Ancheta, Robert B. Darragh, Jonathan P. Stewart, Emel Seyhan, Walter J. Silva, Brian S.J. Chiou, Katie E. Wooddell, Robert W. Graves, Albert R. Kottke, David M. Boore, Tadahiro Kishida, and Jennifer L. Donahue. May 2013.
- PEER 2013/02** *Hybrid Simulation of the Seismic Response of Squat Reinforced Concrete Shear Walls*. Catherine A. Whyte and Bozidar Stojadinovic. May 2013.
- PEER 2013/01** *Housing Recovery in Chile: A Qualitative Mid-program Review*. Mary C. Comerio. February 2013.
- PEER 2012/08** *Guidelines for Estimation of Shear Wave Velocity*. Bernard R. Wair, Jason T. DeJong, and Thomas Shantz. December 2012.
- PEER 2012/07** *Earthquake Engineering for Resilient Communities: 2012 PEER Internship Program Research Report Collection*. Heidi Tremayne (Editor), Stephen A. Mahin (Editor), Collin Anderson, Dustin Cook, Michael Erceg, Carlos Esparza, Jose Jimenez, Dorian Krausz, Andrew Lo, Stephanie Lopez, Nicole McCurdy, Paul Shipman, Alexander Strum, Eduardo Vega. December 2012.
- PEER 2012/06** *Fragilities for Precarious Rocks at Yucca Mountain*. Matthew D. Purvance, Rasool Anooshehpour, and James N. Brune. December 2012.
- PEER 2012/05** *Development of Simplified Analysis Procedure for Piles in Laterally Spreading Layered Soils*. Christopher R. McGann, Pedro Arduino, and Peter Mackenzie-Helnwein. December 2012.
- PEER 2012/04** *Unbonded Pre-Tensioned Columns for Bridges in Seismic Regions*. Phillip M. Davis, Todd M. Janes, Marc O. Eberhard, and John F. Stanton. December 2012.
- PEER 2012/03** *Experimental and Analytical Studies on Reinforced Concrete Buildings with Seismically Vulnerable Beam-Column Joints*. Sangjoon Park and Khalid M. Mosalam. October 2012.
- PEER 2012/02** *Seismic Performance of Reinforced Concrete Bridges Allowed to Uplift during Multi-Directional Excitation*. Andres Oscar Espinoza and Stephen A. Mahin. July 2012.
- PEER 2012/01** *Spectral Damping Scaling Factors for Shallow Crustal Earthquakes in Active Tectonic Regions*. Sanaz Rezaeian, Yousef Bozorgnia, I. M. Idriss, Kenneth Campbell, Norman Abrahamson, and Walter Silva. July 2012.
- PEER 2011/10** *Earthquake Engineering for Resilient Communities: 2011 PEER Internship Program Research Report Collection*. Heidi Faison and Stephen A. Mahin, Editors. December 2011.
- PEER 2011/09** *Calibration of Semi-Stochastic Procedure for Simulating High-Frequency Ground Motions*. Jonathan P. Stewart, Emel Seyhan, and Robert W. Graves. December 2011.
- PEER 2011/08** *Water Supply in regard to Fire Following Earthquake*. Charles Scawthorn. November 2011.

- PEER 2011/07** *Seismic Risk Management in Urban Areas*. Proceedings of a U.S.-Iran-Turkey Seismic Workshop. September 2011.
- PEER 2011/06** *The Use of Base Isolation Systems to Achieve Complex Seismic Performance Objectives*. Troy A. Morgan and Stephen A. Mahin. July 2011.
- PEER 2011/05** *Case Studies of the Seismic Performance of Tall Buildings Designed by Alternative Means*. Task 12 Report for the Tall Buildings Initiative. Jack Moehle, Yousef Bozorgnia, Nirmal Jayaram, Pierson Jones, Mohsen Rahnama, Nilesh Shome, Zeynep Tuna, John Wallace, Tony Yang, and Farzin Zareian. July 2011.
- PEER 2011/04** *Recommended Design Practice for Pile Foundations in Laterally Spreading Ground*. Scott A. Ashford, Ross W. Boulanger, and Scott J. Brandenberg. June 2011.
- PEER 2011/03** *New Ground Motion Selection Procedures and Selected Motions for the PEER Transportation Research Program*. Jack W. Baker, Ting Lin, Shrey K. Shahi, and Nirmal Jayaram. March 2011.
- PEER 2011/02** *A Bayesian Network Methodology for Infrastructure Seismic Risk Assessment and Decision Support*. Michelle T. Bensi, Armen Der Kiureghian, and Daniel Straub. March 2011.
- PEER 2011/01** *Demand Fragility Surfaces for Bridges in Liquefied and Laterally Spreading Ground*. Scott J. Brandenberg, Jian Zhang, Pirooz Kashighandi, Yili Huo, and Minxing Zhao. March 2011.
- PEER 2010/05** *Guidelines for Performance-Based Seismic Design of Tall Buildings*. Developed by the Tall Buildings Initiative. November 2010.
- PEER 2010/04** *Application Guide for the Design of Flexible and Rigid Bus Connections between Substation Equipment Subjected to Earthquakes*. Jean-Bernard Dastous and Armen Der Kiureghian. September 2010.
- PEER 2010/03** *Shear Wave Velocity as a Statistical Function of Standard Penetration Test Resistance and Vertical Effective Stress at Caltrans Bridge Sites*. Scott J. Brandenberg, Naresh Bellana, and Thomas Shantz. June 2010.
- PEER 2010/02** *Stochastic Modeling and Simulation of Ground Motions for Performance-Based Earthquake Engineering*. Sanaz Rezaeian and Armen Der Kiureghian. June 2010.
- PEER 2010/01** *Structural Response and Cost Characterization of Bridge Construction Using Seismic Performance Enhancement Strategies*. Ady Aviram, Božidar Stojadinović, Gustavo J. Parra-Montesinos, and Kevin R. Mackie. March 2010.
- PEER 2009/03** *The Integration of Experimental and Simulation Data in the Study of Reinforced Concrete Bridge Systems Including Soil-Foundation-Structure Interaction*. Matthew Dryden and Gregory L. Fenves. November 2009.
- PEER 2009/02** *Improving Earthquake Mitigation through Innovations and Applications in Seismic Science, Engineering, Communication, and Response*. Proceedings of a U.S.-Iran Seismic Workshop. October 2009.
- PEER 2009/01** *Evaluation of Ground Motion Selection and Modification Methods: Predicting Median Interstory Drift Response of Buildings*. Curt B. Haselton, Editor. June 2009.
- PEER 2008/10** *Technical Manual for Strata*. Albert R. Kottke and Ellen M. Rathje. February 2009.
- PEER 2008/09** *NGA Model for Average Horizontal Component of Peak Ground Motion and Response Spectra*. Brian S.-J. Chiou and Robert R. Youngs. November 2008.
- PEER 2008/08** *Toward Earthquake-Resistant Design of Concentrically Braced Steel Structures*. Patxi Uriz and Stephen A. Mahin. November 2008.
- PEER 2008/07** *Using OpenSees for Performance-Based Evaluation of Bridges on Liquefiable Soils*. Stephen L. Kramer, Pedro Arduino, and HyungSuk Shin. November 2008.
- PEER 2008/06** *Shaking Table Tests and Numerical Investigation of Self-Centering Reinforced Concrete Bridge Columns*. Hyung IL Jeong, Junichi Sakai, and Stephen A. Mahin. September 2008.
- PEER 2008/05** *Performance-Based Earthquake Engineering Design Evaluation Procedure for Bridge Foundations Undergoing Liquefaction-Induced Lateral Ground Displacement*. Christian A. Ledezma and Jonathan D. Bray. August 2008.
- PEER 2008/04** *Benchmarking of Nonlinear Geotechnical Ground Response Analysis Procedures*. Jonathan P. Stewart, Annie On-Lei Kwok, Youssef M. A. Hashash, Neven Matasovic, Robert Pyke, Zhiliang Wang, and Zhaohui Yang. August 2008.
- PEER 2008/03** *Guidelines for Nonlinear Analysis of Bridge Structures in California*. Ady Aviram, Kevin R. Mackie, and Božidar Stojadinović. August 2008.
- PEER 2008/02** *Treatment of Uncertainties in Seismic-Risk Analysis of Transportation Systems*. Evangelos Stergiou and Anne S. Kiremidjian. July 2008.
- PEER 2008/01** *Seismic Performance Objectives for Tall Buildings*. William T. Holmes, Charles Kircher, William Petak, and Nabih Youssef. August 2008.

- PEER 2007/12** *An Assessment to Benchmark the Seismic Performance of a Code-Conforming Reinforced Concrete Moment-Frame Building.* Curt Haselton, Christine A. Goulet, Judith Mitrani-Reiser, James L. Beck, Gregory G. Deierlein, Keith A. Porter, Jonathan P. Stewart, and Ertugrul Taciroglu. August 2008.
- PEER 2007/11** *Bar Buckling in Reinforced Concrete Bridge Columns.* Wayne A. Brown, Dawn E. Lehman, and John F. Stanton. February 2008.
- PEER 2007/10** *Computational Modeling of Progressive Collapse in Reinforced Concrete Frame Structures.* Mohamed M. Talaat and Khalid M. Mosalam. May 2008.
- PEER 2007/09** *Integrated Probabilistic Performance-Based Evaluation of Benchmark Reinforced Concrete Bridges.* Kevin R. Mackie, John-Michael Wong, and Božidar Stojadinović. January 2008.
- PEER 2007/08** *Assessing Seismic Collapse Safety of Modern Reinforced Concrete Moment-Frame Buildings.* Curt B. Haselton and Gregory G. Deierlein. February 2008.
- PEER 2007/07** *Performance Modeling Strategies for Modern Reinforced Concrete Bridge Columns.* Michael P. Berry and Marc O. Eberhard. April 2008.
- PEER 2007/06** *Development of Improved Procedures for Seismic Design of Buried and Partially Buried Structures.* Linda Al Atik and Nicholas Sitar. June 2007.
- PEER 2007/05** *Uncertainty and Correlation in Seismic Risk Assessment of Transportation Systems.* Renee G. Lee and Anne S. Kiremidjian. July 2007.
- PEER 2007/04** *Numerical Models for Analysis and Performance-Based Design of Shallow Foundations Subjected to Seismic Loading.* Sivapalan Gajan, Tara C. Hutchinson, Bruce L. Kutter, Prishati Raychowdhury, José A. Ugalde, and Jonathan P. Stewart. May 2008.
- PEER 2007/03** *Beam-Column Element Model Calibrated for Predicting Flexural Response Leading to Global Collapse of RC Frame Buildings.* Curt B. Haselton, Abbie B. Liel, Sarah Taylor Lange, and Gregory G. Deierlein. May 2008.
- PEER 2007/02** *Campbell-Bozorgnia NGA Ground Motion Relations for the Geometric Mean Horizontal Component of Peak and Spectral Ground Motion Parameters.* Kenneth W. Campbell and Yousef Bozorgnia. May 2007.
- PEER 2007/01** *Boore-Atkinson NGA Ground Motion Relations for the Geometric Mean Horizontal Component of Peak and Spectral Ground Motion Parameters.* David M. Boore and Gail M. Atkinson. May 2007.
- PEER 2006/12** *Societal Implications of Performance-Based Earthquake Engineering.* Peter J. May. May 2007.
- PEER 2006/11** *Probabilistic Seismic Demand Analysis Using Advanced Ground Motion Intensity Measures, Attenuation Relationships, and Near-Fault Effects.* Polsak Tothong and C. Allin Cornell. March 2007.
- PEER 2006/10** *Application of the PEER PBEE Methodology to the I-880 Viaduct.* Sashi Kunnath. February 2007.
- PEER 2006/09** *Quantifying Economic Losses from Travel Forgone Following a Large Metropolitan Earthquake.* James Moore, Sungbin Cho, Yue Yue Fan, and Stuart Werner. November 2006.
- PEER 2006/08** *Vector-Valued Ground Motion Intensity Measures for Probabilistic Seismic Demand Analysis.* Jack W. Baker and C. Allin Cornell. October 2006.
- PEER 2006/07** *Analytical Modeling of Reinforced Concrete Walls for Predicting Flexural and Coupled-Shear-Flexural Responses.* Kutay Orakcal, Leonardo M. Massone, and John W. Wallace. October 2006.
- PEER 2006/06** *Nonlinear Analysis of a Soil-Drilled Pier System under Static and Dynamic Axial Loading.* Gang Wang and Nicholas Sitar. November 2006.
- PEER 2006/05** *Advanced Seismic Assessment Guidelines.* Paolo Bazzurro, C. Allin Cornell, Charles Menun, Maziar Motahari, and Nicolas Luco. September 2006.
- PEER 2006/04** *Probabilistic Seismic Evaluation of Reinforced Concrete Structural Components and Systems.* Tae Hyung Lee and Khalid M. Mosalam. August 2006.
- PEER 2006/03** *Performance of Lifelines Subjected to Lateral Spreading.* Scott A. Ashford and Teerawat Juirnarongrit. July 2006.
- PEER 2006/02** *Pacific Earthquake Engineering Research Center Highway Demonstration Project.* Anne Kiremidjian, James Moore, Yue Yue Fan, Nesrin Basoz, Ozgur Yazali, and Meredith Williams. April 2006.
- PEER 2006/01** *Bracing Berkeley. A Guide to Seismic Safety on the UC Berkeley Campus.* Mary C. Comerio, Stephen Tobriner, and Ariane Fehrenkamp. January 2006.
- PEER 2005/16** *Seismic Response and Reliability of Electrical Substation Equipment and Systems.* Junho Song, Armen Der Kiureghian, and Jerome L. Sackman. April 2006.

- PEER 2005/15** *CPT-Based Probabilistic Assessment of Seismic Soil Liquefaction Initiation.* R. E. S. Moss, R. B. Seed, R. E. Kayen, J. P. Stewart, and A. Der Kiureghian. April 2006.
- PEER 2005/14** *Workshop on Modeling of Nonlinear Cyclic Load-Deformation Behavior of Shallow Foundations.* Bruce L. Kutter, Geoffrey Martin, Tara Hutchinson, Chad Harden, Sivapalan Gajan, and Justin Phalen. March 2006.
- PEER 2005/13** *Stochastic Characterization and Decision Bases under Time-Dependent Aftershock Risk in Performance-Based Earthquake Engineering.* Gee Liek Yeo and C. Allin Cornell. July 2005.
- PEER 2005/12** *PEER Testbed Study on a Laboratory Building: Exercising Seismic Performance Assessment.* Mary C. Comerio, Editor. November 2005.
- PEER 2005/11** *Van Nuys Hotel Building Testbed Report: Exercising Seismic Performance Assessment.* Helmut Krawinkler, Editor. October 2005.
- PEER 2005/10** *First NEES/E-Defense Workshop on Collapse Simulation of Reinforced Concrete Building Structures.* September 2005.
- PEER 2005/09** *Test Applications of Advanced Seismic Assessment Guidelines.* Joe Maffei, Karl Telleen, Danya Mohr, William Holmes, and Yuki Nakayama. August 2006.
- PEER 2005/08** *Damage Accumulation in Lightly Confined Reinforced Concrete Bridge Columns.* R. Tyler Ranf, Jared M. Nelson, Zach Price, Marc O. Eberhard, and John F. Stanton. April 2006.
- PEER 2005/07** *Experimental and Analytical Studies on the Seismic Response of Freestanding and Anchored Laboratory Equipment.* Dimitrios Konstantinidis and Nicos Makris. January 2005.
- PEER 2005/06** *Global Collapse of Frame Structures under Seismic Excitations.* Luis F. Ibarra and Helmut Krawinkler. September 2005.
- PEER 2005/05** *Performance Characterization of Bench- and Shelf-Mounted Equipment.* Samit Ray Chaudhuri and Tara C. Hutchinson. May 2006.
- PEER 2005/04** *Numerical Modeling of the Nonlinear Cyclic Response of Shallow Foundations.* Chad Harden, Tara Hutchinson, Geoffrey R. Martin, and Bruce L. Kutter. August 2005.
- PEER 2005/03** *A Taxonomy of Building Components for Performance-Based Earthquake Engineering.* Keith A. Porter. September 2005.
- PEER 2005/02** *Fragility Basis for California Highway Overpass Bridge Seismic Decision Making.* Kevin R. Mackie and Božidar Stojadinović. June 2005.
- PEER 2005/01** *Empirical Characterization of Site Conditions on Strong Ground Motion.* Jonathan P. Stewart, Yoojoong Choi, and Robert W. Graves. June 2005.
- PEER 2004/09** *Electrical Substation Equipment Interaction: Experimental Rigid Conductor Studies.* Christopher Stearns and André Filiatrault. February 2005.
- PEER 2004/08** *Seismic Qualification and Fragility Testing of Line Break 550-kV Disconnect Switches.* Shakhzod M. Takhirov, Gregory L. Fenves, and Eric Fujisaki. January 2005.
- PEER 2004/07** *Ground Motions for Earthquake Simulator Qualification of Electrical Substation Equipment.* Shakhzod M. Takhirov, Gregory L. Fenves, Eric Fujisaki, and Don Clyde. January 2005.
- PEER 2004/06** *Performance-Based Regulation and Regulatory Regimes.* Peter J. May and Chris Koski. September 2004.
- PEER 2004/05** *Performance-Based Seismic Design Concepts and Implementation: Proceedings of an International Workshop.* Peter Fajfar and Helmut Krawinkler, Editors. September 2004.
- PEER 2004/04** *Seismic Performance of an Instrumented Tilt-up Wall Building.* James C. Anderson and Vitelmo V. Bertero. July 2004.
- PEER 2004/03** *Evaluation and Application of Concrete Tilt-up Assessment Methodologies.* Timothy Graf and James O. Malley. October 2004.
- PEER 2004/02** *Analytical Investigations of New Methods for Reducing Residual Displacements of Reinforced Concrete Bridge Columns.* Junichi Sakai and Stephen A. Mahin. August 2004.
- PEER 2004/01** *Seismic Performance of Masonry Buildings and Design Implications.* Kerri Anne Taeko Tokoro, James C. Anderson, and Vitelmo V. Bertero. February 2004.
- PEER 2003/18** *Performance Models for Flexural Damage in Reinforced Concrete Columns.* Michael Berry and Marc Eberhard. August 2003.

- PEER 2003/17** *Predicting Earthquake Damage in Older Reinforced Concrete Beam-Column Joints.* Catherine Pagni and Laura Lowes. October 2004.
- PEER 2003/16** *Seismic Demands for Performance-Based Design of Bridges.* Kevin Mackie and Božidar Stojadinović. August 2003.
- PEER 2003/15** *Seismic Demands for Nondeteriorating Frame Structures and Their Dependence on Ground Motions.* Ricardo Antonio Medina and Helmut Krawinkler. May 2004.
- PEER 2003/14** *Finite Element Reliability and Sensitivity Methods for Performance-Based Earthquake Engineering.* Terje Haukaas and Armen Der Kiureghian. April 2004.
- PEER 2003/13** *Effects of Connection Hysteretic Degradation on the Seismic Behavior of Steel Moment-Resisting Frames.* Janise E. Rodgers and Stephen A. Mahin. March 2004.
- PEER 2003/12** *Implementation Manual for the Seismic Protection of Laboratory Contents: Format and Case Studies.* William T. Holmes and Mary C. Comerio. October 2003.
- PEER 2003/11** *Fifth U.S.-Japan Workshop on Performance-Based Earthquake Engineering Methodology for Reinforced Concrete Building Structures.* February 2004.
- PEER 2003/10** *A Beam-Column Joint Model for Simulating the Earthquake Response of Reinforced Concrete Frames.* Laura N. Lowes, Nilanjan Mitra, and Arash Altoontash. February 2004.
- PEER 2003/09** *Sequencing Repairs after an Earthquake: An Economic Approach.* Marco Casari and Simon J. Wilkie. April 2004.
- PEER 2003/08** *A Technical Framework for Probability-Based Demand and Capacity Factor Design (DCFD) Seismic Formats.* Fatemeh Jalayer and C. Allin Cornell. November 2003.
- PEER 2003/07** *Uncertainty Specification and Propagation for Loss Estimation Using FOSM Methods.* Jack W. Baker and C. Allin Cornell. September 2003.
- PEER 2003/06** *Performance of Circular Reinforced Concrete Bridge Columns under Bidirectional Earthquake Loading.* Mahmoud M. Hachem, Stephen A. Mahin, and Jack P. Moehle. February 2003.
- PEER 2003/05** *Response Assessment for Building-Specific Loss Estimation.* Eduardo Miranda and Shahram Taghavi. September 2003.
- PEER 2003/04** *Experimental Assessment of Columns with Short Lap Splices Subjected to Cyclic Loads.* Murat Melek, John W. Wallace, and Joel Conte. April 2003.
- PEER 2003/03** *Probabilistic Response Assessment for Building-Specific Loss Estimation.* Eduardo Miranda and Hesameddin Aslani. September 2003.
- PEER 2003/02** *Software Framework for Collaborative Development of Nonlinear Dynamic Analysis Program.* Jun Peng and Kincho H. Law. September 2003.
- PEER 2003/01** *Shake Table Tests and Analytical Studies on the Gravity Load Collapse of Reinforced Concrete Frames.* Kenneth John Elwood and Jack P. Moehle. November 2003.
- PEER 2002/24** *Performance of Beam to Column Bridge Joints Subjected to a Large Velocity Pulse.* Natalie Gibson, André Filiatrault, and Scott A. Ashford. April 2002.
- PEER 2002/23** *Effects of Large Velocity Pulses on Reinforced Concrete Bridge Columns.* Greg L. Orozco and Scott A. Ashford. April 2002.
- PEER 2002/22** *Characterization of Large Velocity Pulses for Laboratory Testing.* Kenneth E. Cox and Scott A. Ashford. April 2002.
- PEER 2002/21** *Fourth U.S.-Japan Workshop on Performance-Based Earthquake Engineering Methodology for Reinforced Concrete Building Structures.* December 2002.
- PEER 2002/20** *Barriers to Adoption and Implementation of PBEE Innovations.* Peter J. May. August 2002.
- PEER 2002/19** *Economic-Engineered Integrated Models for Earthquakes: Socioeconomic Impacts.* Peter Gordon, James E. Moore II, and Harry W. Richardson. July 2002.
- PEER 2002/18** *Assessment of Reinforced Concrete Building Exterior Joints with Substandard Details.* Chris P. Pantelides, Jon Hansen, Justin Nadauld, and Lawrence D. Reaveley. May 2002.
- PEER 2002/17** *Structural Characterization and Seismic Response Analysis of a Highway Overcrossing Equipped with Elastomeric Bearings and Fluid Dampers: A Case Study.* Nicos Makris and Jian Zhang. November 2002.
- PEER 2002/16** *Estimation of Uncertainty in Geotechnical Properties for Performance-Based Earthquake Engineering.* Allen L. Jones, Steven L. Kramer, and Pedro Arduino. December 2002.



- PEER 2002/15** *Seismic Behavior of Bridge Columns Subjected to Various Loading Patterns.* Asadollah Esmaeily-Gh. and Yan Xiao. December 2002.
- PEER 2002/14** *Inelastic Seismic Response of Extended Pile Shaft Supported Bridge Structures.* T.C. Hutchinson, R.W. Boulanger, Y.H. Chai, and I.M. Idriss. December 2002.
- PEER 2002/13** *Probabilistic Models and Fragility Estimates for Bridge Components and Systems.* Paolo Gardoni, Armen Der Kiureghian, and Khalid M. Mosalam. June 2002.
- PEER 2002/12** *Effects of Fault Dip and Slip Rake on Near-Source Ground Motions: Why Chi-Chi Was a Relatively Mild M7.6 Earthquake.* Brad T. Aagaard, John F. Hall, and Thomas H. Heaton. December 2002.
- PEER 2002/11** *Analytical and Experimental Study of Fiber-Reinforced Strip Isolators.* James M. Kelly and Shakhzod M. Takhirov. September 2002.
- PEER 2002/10** *Centrifuge Modeling of Settlement and Lateral Spreading with Comparisons to Numerical Analyses.* Sivapalan Gajan and Bruce L. Kutter. January 2003.
- PEER 2002/09** *Documentation and Analysis of Field Case Histories of Seismic Compression during the 1994 Northridge, California, Earthquake.* Jonathan P. Stewart, Patrick M. Smith, Daniel H. Whang, and Jonathan D. Bray. October 2002.
- PEER 2002/08** *Component Testing, Stability Analysis and Characterization of Buckling-Restrained Unbonded Braces<sup>TM</sup>.* Cameron Black, Nicos Makris, and Ian Aiken. September 2002.
- PEER 2002/07** *Seismic Performance of Pile-Wharf Connections.* Charles W. Roeder, Robert Graff, Jennifer Soderstrom, and Jun Han Yoo. December 2001.
- PEER 2002/06** *The Use of Benefit-Cost Analysis for Evaluation of Performance-Based Earthquake Engineering Decisions.* Richard O. Zerbe and Anthony Falit-Baiamonte. September 2001.
- PEER 2002/05** *Guidelines, Specifications, and Seismic Performance Characterization of Nonstructural Building Components and Equipment.* André Filiatrault, Constantin Christopoulos, and Christopher Stearns. September 2001.
- PEER 2002/04** *Consortium of Organizations for Strong-Motion Observation Systems and the Pacific Earthquake Engineering Research Center Lifelines Program: Invited Workshop on Archiving and Web Dissemination of Geotechnical Data, 4–5 October 2001.* September 2002.
- PEER 2002/03** *Investigation of Sensitivity of Building Loss Estimates to Major Uncertain Variables for the Van Nuys Testbed.* Keith A. Porter, James L. Beck, and Rustem V. Shaikhutdinov. August 2002.
- PEER 2002/02** *The Third U.S.-Japan Workshop on Performance-Based Earthquake Engineering Methodology for Reinforced Concrete Building Structures.* July 2002.
- PEER 2002/01** *Nonstructural Loss Estimation: The UC Berkeley Case Study.* Mary C. Comerio and John C. Stallmeyer. December 2001.
- PEER 2001/16** *Statistics of SDF-System Estimate of Roof Displacement for Pushover Analysis of Buildings.* Anil K. Chopra, Rakesh K. Goel, and Chatpan Chintanapakdee. December 2001.
- PEER 2001/15** *Damage to Bridges during the 2001 Nisqually Earthquake.* R. Tyler Ranf, Marc O. Eberhard, and Michael P. Berry. November 2001.
- PEER 2001/14** *Rocking Response of Equipment Anchored to a Base Foundation.* Nicos Makris and Cameron J. Black. September 2001.
- PEER 2001/13** *Modeling Soil Liquefaction Hazards for Performance-Based Earthquake Engineering.* Steven L. Kramer and Ahmed-W. Elgamal. February 2001.
- PEER 2001/12** *Development of Geotechnical Capabilities in OpenSees.* Boris Jeremić. September 2001.
- PEER 2001/11** *Analytical and Experimental Study of Fiber-Reinforced Elastomeric Isolators.* James M. Kelly and Shakhzod M. Takhirov. September 2001.
- PEER 2001/10** *Amplification Factors for Spectral Acceleration in Active Regions.* Jonathan P. Stewart, Andrew H. Liu, Yoojoong Choi, and Mehmet B. Baturay. December 2001.
- PEER 2001/09** *Ground Motion Evaluation Procedures for Performance-Based Design.* Jonathan P. Stewart, Shyh-Jeng Chiou, Jonathan D. Bray, Robert W. Graves, Paul G. Somerville, and Norman A. Abrahamson. September 2001.
- PEER 2001/08** *Experimental and Computational Evaluation of Reinforced Concrete Bridge Beam-Column Connections for Seismic Performance.* Clay J. Naito, Jack P. Moehle, and Khalid M. Mosalam. November 2001.
- PEER 2001/07** *The Rocking Spectrum and the Shortcomings of Design Guidelines.* Nicos Makris and Dimitrios Konstantinidis. August 2001.

- PEER 2001/06** *Development of an Electrical Substation Equipment Performance Database for Evaluation of Equipment Fragilities.* Thalia Agnanos. April 1999.
- PEER 2001/05** *Stiffness Analysis of Fiber-Reinforced Elastomeric Isolators.* Hsiang-Chuan Tsai and James M. Kelly. May 2001.
- PEER 2001/04** *Organizational and Societal Considerations for Performance-Based Earthquake Engineering.* Peter J. May. April 2001.
- PEER 2001/03** *A Modal Pushover Analysis Procedure to Estimate Seismic Demands for Buildings: Theory and Preliminary Evaluation.* Anil K. Chopra and Rakesh K. Goel. January 2001.
- PEER 2001/02** *Seismic Response Analysis of Highway Overcrossings Including Soil-Structure Interaction.* Jian Zhang and Nicos Makris. March 2001.
- PEER 2001/01** *Experimental Study of Large Seismic Steel Beam-to-Column Connections.* Egor P. Popov and Shakhzod M. Takhirov. November 2000.
- PEER 2000/10** *The Second U.S.-Japan Workshop on Performance-Based Earthquake Engineering Methodology for Reinforced Concrete Building Structures.* March 2000.
- PEER 2000/09** *Structural Engineering Reconnaissance of the August 17, 1999 Earthquake: Kocaeli (Izmit), Turkey.* Halil Sezen, Kenneth J. Elwood, Andrew S. Whittaker, Khalid Mosalam, John J. Wallace, and John F. Stanton. December 2000.
- PEER 2000/08** *Behavior of Reinforced Concrete Bridge Columns Having Varying Aspect Ratios and Varying Lengths of Confinement.* Anthony J. Calderone, Dawn E. Lehman, and Jack P. Moehle. January 2001.
- PEER 2000/07** *Cover-Plate and Flange-Plate Reinforced Steel Moment-Resisting Connections.* Taejin Kim, Andrew S. Whittaker, Amir S. Gilani, Vitelmo V. Bertero, and Shakhzod M. Takhirov. September 2000.
- PEER 2000/06** *Seismic Evaluation and Analysis of 230-kV Disconnect Switches.* Amir S. J. Gilani, Andrew S. Whittaker, Gregory L. Fenves, Chun-Hao Chen, Henry Ho, and Eric Fujisaki. July 2000.
- PEER 2000/05** *Performance-Based Evaluation of Exterior Reinforced Concrete Building Joints for Seismic Excitation.* Chandra Clyde, Chris P. Pantelides, and Lawrence D. Reaveley. July 2000.
- PEER 2000/04** *An Evaluation of Seismic Energy Demand: An Attenuation Approach.* Chung-Che Chou and Chia-Ming Uang. July 1999.
- PEER 2000/03** *Framing Earthquake Retrofitting Decisions: The Case of Hillside Homes in Los Angeles.* Detlof von Winterfeldt, Nels Roselund, and Alicia Kitsuse. March 2000.
- PEER 2000/02** *U.S.-Japan Workshop on the Effects of Near-Field Earthquake Shaking.* Andrew Whittaker, Editor. July 2000.
- PEER 2000/01** *Further Studies on Seismic Interaction in Interconnected Electrical Substation Equipment.* Armen Der Kiureghian, Kee-Jeung Hong, and Jerome L. Sackman. November 1999.
- PEER 1999/14** *Seismic Evaluation and Retrofit of 230-kV Porcelain Transformer Bushings.* Amir S. Gilani, Andrew S. Whittaker, Gregory L. Fenves, and Eric Fujisaki. December 1999.
- PEER 1999/13** *Building Vulnerability Studies: Modeling and Evaluation of Tilt-up and Steel Reinforced Concrete Buildings.* John W. Wallace, Jonathan P. Stewart, and Andrew S. Whittaker, Editors. December 1999.
- PEER 1999/12** *Rehabilitation of Nonductile RC Frame Building Using Encasement Plates and Energy-Dissipating Devices.* Mehrdad Sasani, Vitelmo V. Bertero, James C. Anderson. December 1999.
- PEER 1999/11** *Performance Evaluation Database for Concrete Bridge Components and Systems under Simulated Seismic Loads.* Yael D. Hose and Frieder Seible. November 1999.
- PEER 1999/10** *U.S.-Japan Workshop on Performance-Based Earthquake Engineering Methodology for Reinforced Concrete Building Structures.* December 1999.
- PEER 1999/09** *Performance Improvement of Long Period Building Structures Subjected to Severe Pulse-Type Ground Motions.* James C. Anderson, Vitelmo V. Bertero, and Raul Bertero. October 1999.
- PEER 1999/08** *Envelopes for Seismic Response Vectors.* Charles Menun and Armen Der Kiureghian. July 1999.
- PEER 1999/07** *Documentation of Strengths and Weaknesses of Current Computer Analysis Methods for Seismic Performance of Reinforced Concrete Members.* William F. Cofer. November 1999.
- PEER 1999/06** *Rocking Response and Overturning of Anchored Equipment under Seismic Excitations.* Nicos Makris and Jian Zhang. November 1999.
- PEER 1999/05** *Seismic Evaluation of 550 kV Porcelain Transformer Bushings.* Amir S. Gilani, Andrew S. Whittaker, Gregory L. Fenves, and Eric Fujisaki. October 1999.

- PEER 1999/04** *Adoption and Enforcement of Earthquake Risk-Reduction Measures.* Peter J. May, Raymond J. Burby, T. Jens Feeley, and Robert Wood. August 1999.
- PEER 1999/03** *Task 3 Characterization of Site Response General Site Categories.* Adrian Rodriguez-Marek, Jonathan D. Bray and Norman Abrahamson. February 1999.
- PEER 1999/02** *Capacity-Demand-Diagram Methods for Estimating Seismic Deformation of Inelastic Structures: SDF Systems.* Anil K. Chopra and Rakesh Goel. April 1999.
- PEER 1999/01** *Interaction in Interconnected Electrical Substation Equipment Subjected to Earthquake Ground Motions.* Armen Der Kiureghian, Jerome L. Sackman, and Kee-Jeung Hong. February 1999.
- PEER 1998/08** *Behavior and Failure Analysis of a Multiple-Frame Highway Bridge in the 1994 Northridge Earthquake.* Gregory L. Fenves and Michael Ellery. December 1998.
- PEER 1998/07** *Empirical Evaluation of Inertial Soil-Structure Interaction Effects.* Jonathan P. Stewart, Raymond B. Seed, and Gregory L. Fenves. November 1998.
- PEER 1998/06** *Effect of Damping Mechanisms on the Response of Seismic Isolated Structures.* Nicos Makris and Shih-Po Chang. November 1998.
- PEER 1998/05** *Rocking Response and Overturning of Equipment under Horizontal Pulse-Type Motions.* Nicos Makris and Yiannis Roussos. October 1998.
- PEER 1998/04** *Pacific Earthquake Engineering Research Invitational Workshop Proceedings, May 14–15, 1998: Defining the Links between Planning, Policy Analysis, Economics and Earthquake Engineering.* Mary Comerio and Peter Gordon. September 1998.
- PEER 1998/03** *Repair/Upgrade Procedures for Welded Beam to Column Connections.* James C. Anderson and Xiaojing Duan. May 1998.
- PEER 1998/02** *Seismic Evaluation of 196 kV Porcelain Transformer Bushings.* Amir S. Gilani, Juan W. Chavez, Gregory L. Fenves, and Andrew S. Whittaker. May 1998.
- PEER 1998/01** *Seismic Performance of Well-Confined Concrete Bridge Columns.* Dawn E. Lehman and Jack P. Moehle. December 2000.

## PEER ONE HUNDRED REPORT SERIES

The following PEER reports are available by Internet only at [http://peer.berkeley.edu/publications/peer\\_reports\\_complete.html](http://peer.berkeley.edu/publications/peer_reports_complete.html).

- PEER 2012/103** *Performance-Based Seismic Demand Assessment of Concentrically Braced Steel Frame Buildings*. Chui-Hsin Chen and Stephen A. Mahin. December 2012.
- PEER 2012/102** *Procedure to Restart an Interrupted Hybrid Simulation: Addendum to PEER Report 2010/103*. Vesna Terzic and Božidar Stojadinovic. October 2012.
- PEER 2012/101** *Mechanics of Fiber Reinforced Bearings*. James M. Kelly and Andrea Calabrese. February 2012.
- PEER 2011/107** *Nonlinear Site Response and Seismic Compression at Vertical Array Strongly Shaken by 2007 Niigata-ken Chuetsu-oki Earthquake*. Eric Yee, Jonathan P. Stewart, and Kohji Tokimatsu. December 2011.
- PEER 2011/106** *Self Compacting Hybrid Fiber Reinforced Concrete Composites for Bridge Columns*. Pardeep Kumar, Gabriel Jen, William Trono, Marios Panagiotou, and Claudia Ostertag. September 2011.
- PEER 2011/105** *Stochastic Dynamic Analysis of Bridges Subjected to Spatially Varying Ground Motions*. Katerina Konakli and Armen Der Kiureghian. August 2011.
- PEER 2011/104** *Design and Instrumentation of the 2010 E-Defense Four-Story Reinforced Concrete and Post-Tensioned Concrete Buildings*. Takuya Nagae, Kenichi Tahara, Taizo Matsumori, Hitoshi Shiohara, Toshimi Kabeyasawa, Susumu Kono, Minehiro Nishiyama (Japanese Research Team) and John Wallace, Wassim Ghannoum, Jack Moehle, Richard Sause, Wesley Keller, Zeynep Tuna (U.S. Research Team). June 2011.
- PEER 2011/103** *In-Situ Monitoring of the Force Output of Fluid Dampers: Experimental Investigation*. Dimitrios Konstantinidis, James M. Kelly, and Nicos Makris. April 2011.
- PEER 2011/102** *Ground-Motion Prediction Equations 1964–2010*. John Douglas. April 2011.
- PEER 2011/101** *Report of the Eighth Planning Meeting of NEES/E-Defense Collaborative Research on Earthquake Engineering*. Convened by the Hyogo Earthquake Engineering Research Center (NIED), NEES Consortium, Inc. February 2011.
- PEER 2010/111** *Modeling and Acceptance Criteria for Seismic Design and Analysis of Tall Buildings*. Task 7 Report for the Tall Buildings Initiative - Published jointly by the Applied Technology Council. October 2010.
- PEER 2010/110** *Seismic Performance Assessment and Probabilistic Repair Cost Analysis of Precast Concrete Cladding Systems for Multistory Buildings*. Jeffrey P. Hunt and Božidar Stojadinovic. November 2010.
- PEER 2010/109** *Report of the Seventh Joint Planning Meeting of NEES/E-Defense Collaboration on Earthquake Engineering. Held at the E-Defense, Miki, and Shin-Kobe, Japan, September 18–19, 2009*. August 2010.
- PEER 2010/108** *Probabilistic Tsunami Hazard in California*. Hong Kie Thio, Paul Somerville, and Jascha Polet, preparers. October 2010.
- PEER 2010/107** *Performance and Reliability of Exposed Column Base Plate Connections for Steel Moment-Resisting Frames*. Ady Aviram, Božidar Stojadinovic, and Armen Der Kiureghian. August 2010.
- PEER 2010/106** *Verification of Probabilistic Seismic Hazard Analysis Computer Programs*. Patricia Thomas, Ivan Wong, and Norman Abrahamson. May 2010.
- PEER 2010/105** *Structural Engineering Reconnaissance of the April 6, 2009, Abruzzo, Italy, Earthquake, and Lessons Learned*. M. Selim Günay and Khalid M. Mosalam. April 2010.
- PEER 2010/104** *Simulating the Inelastic Seismic Behavior of Steel Braced Frames, Including the Effects of Low-Cycle Fatigue*. Yuli Huang and Stephen A. Mahin. April 2010.
- PEER 2010/103** *Post-Earthquake Traffic Capacity of Modern Bridges in California*. Vesna Terzic and Božidar Stojadinović. March 2010.
- PEER 2010/102** *Analysis of Cumulative Absolute Velocity (CAV) and JMA Instrumental Seismic Intensity ( $I_{JMA}$ ) Using the PEER–NGA Strong Motion Database*. Kenneth W. Campbell and Yousef Bozorgnia. February 2010.
- PEER 2010/101** *Rocking Response of Bridges on Shallow Foundations*. Jose A. Ugalde, Bruce L. Kutter, and Boris Jeremic. April 2010.
- PEER 2009/109** *Simulation and Performance-Based Earthquake Engineering Assessment of Self-Centering Post-Tensioned Concrete Bridge Systems*. Won K. Lee and Sarah L. Billington. December 2009.
- PEER 2009/108** *PEER Lifelines Geotechnical Virtual Data Center*. J. Carl Stepp, Daniel J. Ponti, Loren L. Turner, Jennifer N. Swift, Sean Devlin, Yang Zhu, Jean Benoit, and John Bobbitt. September 2009.

- PEER 2009/107** *Experimental and Computational Evaluation of Current and Innovative In-Span Hinge Details in Reinforced Concrete Box-Girder Bridges: Part 2: Post-Test Analysis and Design Recommendations.* Matias A. Hube and Khalid M. Mosalam. December 2009.
- PEER 2009/106** *Shear Strength Models of Exterior Beam-Column Joints without Transverse Reinforcement.* Sangjoon Park and Khalid M. Mosalam. November 2009.
- PEER 2009/105** *Reduced Uncertainty of Ground Motion Prediction Equations through Bayesian Variance Analysis.* Robb Eric S. Moss. November 2009.
- PEER 2009/104** *Advanced Implementation of Hybrid Simulation.* Andreas H. Schellenberg, Stephen A. Mahin, Gregory L. Fenves. November 2009.
- PEER 2009/103** *Performance Evaluation of Innovative Steel Braced Frames.* T. Y. Yang, Jack P. Moehle, and Božidar Stojadinovic. August 2009.
- PEER 2009/102** *Reinvestigation of Liquefaction and Nonliquefaction Case Histories from the 1976 Tangshan Earthquake.* Robb Eric Moss, Robert E. Kayen, Liyuan Tong, Songyu Liu, Guojun Cai, and Jiaer Wu. August 2009.
- PEER 2009/101** *Report of the First Joint Planning Meeting for the Second Phase of NEES/E-Defense Collaborative Research on Earthquake Engineering.* Stephen A. Mahin et al. July 2009.
- PEER 2008/104** *Experimental and Analytical Study of the Seismic Performance of Retaining Structures.* Linda Al Atik and Nicholas Sitar. January 2009.
- PEER 2008/103** *Experimental and Computational Evaluation of Current and Innovative In-Span Hinge Details in Reinforced Concrete Box-Girder Bridges. Part 1: Experimental Findings and Pre-Test Analysis.* Matias A. Hube and Khalid M. Mosalam. January 2009.
- PEER 2008/102** *Modeling of Unreinforced Masonry Infill Walls Considering In-Plane and Out-of-Plane Interaction.* Stephen Kadsiewicz and Khalid M. Mosalam. January 2009.
- PEER 2008/101** *Seismic Performance Objectives for Tall Buildings.* William T. Holmes, Charles Kircher, William Petak, and Nabih Youssef. August 2008.
- PEER 2007/101** *Generalized Hybrid Simulation Framework for Structural Systems Subjected to Seismic Loading.* Tarek Elkhoraibi and Khalid M. Mosalam. July 2007.
- PEER 2007/100** *Seismic Evaluation of Reinforced Concrete Buildings Including Effects of Masonry Infill Walls.* Alidad Hashemi and Khalid M. Mosalam. July 2007.



The Pacific Earthquake Engineering Research Center (PEER) is a multi-institutional research and education center with headquarters at the University of California, Berkeley. Investigators from over 20 universities, several consulting companies, and researchers at various state and federal government agencies contribute to research programs focused on performance-based earthquake engineering.

These research programs aim to identify and reduce the risks from major earthquakes to life safety and to the economy by including research in a wide variety of disciplines including structural and geotechnical engineering, geology/seismology, lifelines, transportation, architecture, economics, risk management, and public policy.

PEER is supported by federal, state, local, and regional agencies, together with industry partners.



PEER Core Institutions:  
University of California, Berkeley (Lead Institution)  
California Institute of Technology  
Oregon State University  
Stanford University  
University of California, Davis  
University of California, Irvine  
University of California, Los Angeles  
University of California, San Diego  
University of Southern California  
University of Washington

PEER reports can be ordered at [http://peer.berkeley.edu/publications/peer\\_reports.html](http://peer.berkeley.edu/publications/peer_reports.html) or by contacting

Pacific Earthquake Engineering Research Center  
University of California, Berkeley  
325 Davis Hall, mail code 1792  
Berkeley, CA 94720-1792  
Tel: 510-642-3437  
Fax: 510-642-1655  
Email: [peer\\_center@berkeley.edu](mailto:peer_center@berkeley.edu)

ISSN 1547-0587X